







COVER UP: CONTACTS ARE OPEN FOR AN EASY INSERTION OF THE FLEX CIRCUITRY
COVER DOWN: CONTACTS ARE CLOSED ON THE TRACKS



FLEX CIRCUITRY (TYPICAL THICKNESS)



FLAT FLEX CIRCUITRY PREPARATION (OBTAINING TAIL)



RECOMMENDED P-C HOLE DIMENSION



MATERIALS

BODY AND COVER: BLACK S.F. PBT, UL 94 V0

CONTACT: PHOSPHOR BRONZE SOLDERABLE TIN PREPLATED STRIP, 0.15 mm THICK

STD DESIGN - 1 PFC CONN VERT 12 OUT

NOTES:

- 1) PRODUCT WILL BE SUPPLIED PACKAGED IN TUBES (7500 PCS/BOX - STD)
- 2) TECHNICAL CHARACTERISTICS AS INDICATED IN PS-90500-011.

EC NO. 2700-001 CHINA 1. Revision 20-11-09 CHINA 2. Initial Release 20-11-09 APPROVAL: MR. N. S. 20-11-09	QUALITY SYMBOLS MAJOR MINOR SIGNIF.	GENERAL TOLERANCES: UNLESS SPECIFIED FRACTIONAL DECIMAL MILLIMETERS	SCALE 5:1 DRAWN BY & DATE S. BERDIER 20-11-09 CHECKED BY & DATE M. TROGUEZ 20-11-09 APPROVED BY & DATE M. N. 20-11-09 CAD FILENAME MOD. NO. 1	DESIGN UNITS DIMM INCH DESIGN BY & DATE S. BERDIER 20-11-09 CHECKED BY & DATE M. TROGUEZ 20-11-09 APPROVED BY & DATE M. N. 20-11-09 CAD FILENAME MOD. NO. 1	DIMENSIONS: ☐ FRA INCH ☐ DEC INCH ☐ FRA INCH ☐ DEC INCH FIRST ANGLE PROJECTION	TITLE CONNECTOR FOR FLAT FLEXIBLE CIRCUITS 12 OUT, 2.54 1,1001 FOOT PRINT - VERTICAL MOUNTING VERSION -	SHEET NO. 1/1
	MATERIALS 90500-3012	DRAWING NO. 90-90500-003	SIZE A.1	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			
	DRAWN WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	SIZE A.1	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			
	MOLEX INCORPORATED	MOLEX INCORPORATED	MOLEX INCORPORATED	MOLEX INCORPORATED			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[90500-3012](#)