








- NOTES:
- MATERIAL:
'A' = NYLON V-0 LOW HALOGEN; COLOR: BLACK
'B' = NYLON V-2 GLOW WIRE CAPABLE; COLOR: BLACK
'C' = NYLON V-2; COLOR: BLACK
 - FINISH: NONE
 - PRODUCT SPECIFICATION: PS-172718-0000
APPLICATION SPECIFICATION: AS-172718-0000
 - PACKAGING SPECIFICATION: BULK PER PK-172762-0000
 - THIS PART TO BE USED WITH MALE TERMINAL SERIES 172765 AND TPA SERIES 172709.
 - THIS PART MATES WITH SERIES 5557 AND 172708.
 - THIS PART CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
 - THIS PRODUCT MUST BE USED WITH THE TPA INSTALLED.
 - SEE DRAWING SD-172709-0000 FOR OTHER TPA INFORMATION.
 - SEE DRAWINGS SD-172765-0000 FOR OTHER CRIMP TERMINAL INFORMATION.
 - 14 to 24 CKT ARE UNDRER TOOLING.


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
QUALITY SYMBOLS		P/N 14-24 CKT ADDED EC NO: 113912 DRWN: SNAGARAVENKA CHKD: KPRASAD REV: APPR: KPRASAD		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®			
	= 0			ANGULAR TOL ± °		MM		5:1					
	= 3	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		4 PLACES ±		DRWN BY		DATE		HOUSING, DUAL ROW PLUG MINI-FIT TPA2			
	= 0			3 PLACES ±		RFC_PLMMW		2015/08/14					
	= 0			2 PLACES ± 0.13		CHK'D BY		DATE					
	= 0			1 PLACE ± 0.2		APPR BY		DATE					
	= 0			0 PLACES ±		RFC_PLMMW		2015/08/14					
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		PRODUCT CUSTOMER DRAWING					
	= 0			C				SERIES		MATERIAL NUMBER		CUSTOMER	
	= 0	D		C				172762		SEE TABLE		GENERAL MARKET	
	= 0	SD-172762-0000						DOC TYPE		DOC PART		SHEET NUMBER	
	= 0							PSD		000		1 OF 3	

PART NUMBER	CKTS	DIM C	DIM D	MATERIAL
1727620014	14	30.60	34.40	A
1727620114				B
1727620016	16	34.80	38.60	A
1727620116				B
1727620018	18	39.00	42.80	A
1727620118				B
1727620020	20	43.20	47.00	A
1727620120				B
1727620022	22	47.40	51.20	A
1727620122				B
1727620024	24	51.60	55.40	A
1727620124				B


POLARIZATION DETAILS 14 TO 24 CKT

SHOWN WITHOUT TPA OR TERMINAL FOR CALRITY


14 CKT




16 CKT




18 CKT




20 CKT



22 CKT



24 CKT



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[172762-0110](#)