

F

E


D

C

B


A

FRONT VIEW - MALE M12




1-WHITE/ORANGE
2-WHITE/GREEN
3-ORANGE
4-GREEN

FRONT VIEW - MALE M12



1-WHITE/ORANGE
2-WHITE/GREEN
3-ORANGE
4-GREEN



NOTES:


MECHANICAL
M12 CONNECTOR
INSERT: BLACK PUR
CONTACT: GOLD/NICKEL OVER COPPER ALLOY
COUPLING NUT: NICKEL PLATED BRASS
MOLDED BODY: BLACK PUR

CABLE: 24 AWG 2 PAIR CONDUCTORS BLUE TPE JACKET
UL LISTED: CMR
CSA LISTED: CMG

WRAP LABEL: MARKED WITH P/N, DATE CODE, VOLTAGE & AMPERAGE

ELECTRICAL
ACCORDING TO CAT5e
VOLTAGE RATING: 30V AC/DC
AMPERAGE: 1.5A

ADDED PART NO. TABLE EC NO: IPG2015-2010 DRWN: GGUSTAFS 2015/05/22 CHKD: BARDEN 2015/07/16 APPR: BWOODMAN2013/04/18 C		DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE NTS	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	
			 =0  =0		mm	INCH	DRAWN BY DATE BARDEN 2013/01/29		TITLE MICRO-CHANGE 4P MALE/MALE M12 ST/ST #24-2P BLUE TPE CAT5E			
				4 PLACES	±---	±---	CHECKED BY DATE TWOLEGE 2013/03/01					
				3 PLACES	±---	±.005	APPROVED BY DATE JFMURPHY 2013/04/18			MOLEX INCORPORATED		
				2 PLACES	±0.13	±.010						
1 PLACE	±0.25	±.020	ANGULAR ±.5°			MATERIAL NO. SEE MATRIX		DOCUMENT NO. SD-120108-052		SHEET NO. 1 OF 2		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[1201088130](#) [1201088131](#) [1201088132](#) [1201088133](#) [1201088134](#) [1201088135](#) [1201088136](#) [1201088137](#)
[1201088138](#) [1201088139](#) [1201088140](#) [1201088141](#) [1201088142](#) [1201088143](#) [1201088144](#) [1201088145](#)
[1201088146](#) [1201088147](#)