








8-24 CKT. 係止形状
LOCK SHAPE OF 8-24 CKT.




26-32 CKT. 係止形状
LOCK SHAPE OF 26-32 CKT.




34-42 CKT. 係止形状
LOCK SHAPE OF 34-42 CKT.



嵌合状態図
MATED CONNECTORS



基板パターンレイアウト (参考)
(メタルマスク厚さ : 0.15mm)
RECCOMENDED P.C.B. PATTERN LAYOUT (REF.)
(METAL MASK THICKNESS : 0.15mm)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
RELEASED	EC NO: 112331 DRWN: TAKAIKE CHK'D: KOMURAKAMI APPR: TKANEKO	2017/02/10 2017/03/30 2017/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®					
						MM		4:1							
			ANGULAR TOL ± 3.0 °			DRWN BY		DATE		MICRO-LOCK PLUS 1.25 W/B DUAL ROW ST SMT PLUG ASSY					
						TAKAIKE		2017/02/10							
			4 PLACES		±	0.2	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING				
			3 PLACES		±	0.2	KOMURAKAMI		2017/03/30						
			2 PLACES		±	0.2	APPR BY		DATE		SERIES 505433 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL				
			1 PLACE		±	0.2	TKANEKO		2017/04/03						
			0 PLACES		±	0.2	DRAWING SIZE		THIRD ANGLE PROJECTION						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3										

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

<u>505433-2071</u>	<u>505433-4071</u>	<u>505433-2481</u>	<u>505433-1681</u>	<u>505433-3881</u>	<u>505433-2881</u>	<u>505433-1281</u>	<u>505433-2681</u>
<u>505433-3681</u>	<u>505433-3071</u>	<u>505433-0881</u>	<u>505433-1481</u>	<u>505433-3081</u>	<u>505433-2871</u>	<u>505433-3671</u>	<u>505433-1471</u>
<u>505433-3271</u>	<u>505433-4081</u>	<u>505433-0871</u>	<u>505433-2081</u>	<u>505433-2671</u>	<u>505433-3481</u>	<u>505433-2281</u>	<u>505433-1671</u>
<u>505433-3471</u>	<u>505433-1881</u>	<u>505433-2471</u>	<u>505433-3871</u>	<u>505433-3281</u>	<u>505433-4271</u>	<u>505433-1071</u>	<u>505433-1271</u>
<u>505433-1081</u>	<u>505433-4281</u>	<u>505433-2271</u>	<u>505433-1871</u>				