1-1355135-1 ✓ ACTIVE

MQS

TE Internal #: 1-1355135-1


TPA (Terminal Position Assurance), Violet, PA GF, -40 – 120 °C [-40

– 248 °F], Automotive Connector Locks & Position Assurance

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Connector & Contact Retention Accessory Type: TPA (Terminal Position Assurance)

Primary Product Color: Violet
Primary Product Material: PA GF

Operating Temperature Range: -40 - 120 °C [-40 - 248 °F]

Features

Product Type Features

71	
Sealable	No
Connector & Contact Retention Accessory Type	TPA (Terminal Position Assurance)
Body Features	
Primary Product Color	Violet
Primary Product Material	PA GF
Usage Conditions	
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Carton
Other	
Serviceable	Yes

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought





TE Part #1241396-1 AMP MCP 2.8K, CONTACT, SWS



TE Part #1241730-2
TIMER, RECEPTACLE AND TAB



TE Part #1241608-1 MQS1,5 Sn rec CB unseal. 0,75-1,5




V23540X7000Y 12=GET FEM TERM A



TE Part #41898 250 FASTON FLAG REC 18-12 AWG TPBR



TE Part #2005390-6 JPT SLD 3P PLUG ASSY-1S BLK



TE Part #936662-2 COVER HSG FOR SHIELD 60P



TE Part #1394909-2 SHIELD, 180 DEG., 94POSN. RECEPTACLE HSG



Documents

Product Drawings

RETAINER 94P

English

RETAINER 94P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1355135-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1355135-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1355135-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

TPA (Terminal Position Assurance), Violet, PA GF, -40 – 120 °C [-40 – 248 °F], Automotive Connector Locks & Position Assurance



Product Specifications

Product Specification

English

Modular Jack, Single or Dual Port, Surface Mount or Thru-Hole, Economy

English