






PART NUMBER	CONTACTS SUPPLIED	PART MARKING
SJS708160	NONE	SJS708160
SJS708161	(8) M39029/58-360	
SJS708162	(8) CNP831033	

REV	ECN	APP'D
-	7655	




O-RING NOT SHOWN FOR
VERTICAL MOUNTING
DIMENSION CLARIFICATION




- NOTES:
- MATERIALS:
OUTER HOUSING: POLYETHERIMIDE, COLOR: BLACK
INNER HOUSING: POLYETHERIMIDE, COLOR: BLACK
JAM NUT: PA6/6
CONTACT RETAINER: STAINLESS STEEL
O-RING: SILICONE RUBBER PER A-A-59588
GROMMET: SILICONE RUBBER PER A-A-59588
 - PART ACCEPTS M39029/58-360 PIN CONTACTS (-0 + -1) OR PC TAIL CONTACTS AS SHOWN (-2)
 - PARTS MATES WITH SJS830100/SJS830101
 - SUPPLIED WITH DUST CAP
 - ESTIMATED WEIGHT:
5g (LESS CONTACTS) 6g (WITH PC TAIL CONTACTS)

DIMENSIONS	TOLERANCES	PROJECTION	Amphenol Pcd		TITLE			
ANSI Y14.5M	.XX ±0.01		SPECIFICATION DRAWING		JAM NUT RECEPTACLE			
UNITS: INCHES	.XXX ±0.005		ENGR		SHELL SIZE 7 SJS LUMINUS			
Pro/E FILE	ANGLES ±0.5°		ANDREW.WANG Jan-30-15		8 POS SIZE 22			
	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD INC., BEVERLY, MA	CHKD	12/7/15		SIZE	DWG NO.	REV	
				B	SJS708160_C	-		
		APPD	12/7/15		CODE: 58982		SCALE: 8:3	SHEET 1 OF 2




INSERT CONNECTOR
FROM THIS SURFACE



CONTACT HOLE LOCATIONS		
CONTACT ID	LOCATION	
	X AXIS	Y AXIS
A	0	.113
B	-.088	.070
C	-.110	-.025
D	-.049	-.102
E	.049	-.102
F	.110	-.025
G	.088	.070
H	0	0

PCB ARRANGEMENT
RECOMMENDED DIMENSIONAL TOLERANCE
.XXX±.002



MOUNTING PANEL CUT OUT

SIZE	DWG NO.	REV
B	SJS708160.C	-
CODE: 58982	SCALE: 4:1	SHEET 2 OF 2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[SJS708160](#)