2-2299960-1 ACTIVE

Dynamic Series | Dynamic Series Thermocouple Connector

TE Internal #: 2-2299960-1

Connector Assembly, Housing for Male Terminals, Wire-to-Wire, 2 Position, 2.5 mm [.098 in] Centerline, Dynamic Series Thermocouple

Connector

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings











Connector Product Type: Connector Assembly

Connector & Housing Type: Housing for Male Terminals

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 2.5 mm [.098 in]

Features

Product Type Features

Connector Product Type	Connector Assembly
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	2
Number of Rows	1
Body Features	
Primary Product Color	Yellow
Termination Features	
Termination Method to Wire & Cable	Spring Clamp

Mechanical Attachment



Mating Retention	With
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	2.5 mm[.098 in]
Usage Conditions	
Operating Temperature Range	-20 - 220 °C[-4 - 428 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | Dynamic Series Thermocouple Connector










Connector Strain Relief(1)

Insertion & Extraction Tools(1)

Customers Also Bought



TE Part #1658640-1 HDP-20,RCPT,SIZE 5, 50 POSN



TE Part #592387J001 V2-4.0-0-SP-SM



TE Part #NB18784001 RNF-100-1/16-CL-SP



26-22 ASSY





TE Part #91569-1 CCII POWER DBL LOCK L REC TAB 20-16 ASSY



TE Part #T2070104101-002 H10BN-T3-M-HD







Documents

Product Drawings

TRAY PACKAGE. THERMOCOUPLE CONN KTYPE TAB

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2299960-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2299960-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2299960-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1-1773895-2_THERMOCOUPLE_FLYER

English

Product Specifications

Product Specification

Japanese