














- NOTE:
- MATERIAL:
HSG & CAP - NYLON, GLASS FILLED
UL 94V-0, COLOUR BLACK
PIN - 0.50 SQ PHOSPHOR BRONZE
 - PLATING OPTION:
(1) 0.76µm MIN GOLD PLATE AT CONTACT AREA,
TIN PLATE AT SOLDER AREA,
BOTH OVER NICKEL UNDERPLATE
(2) 0.38µm MIN GOLD PLATE AT CONTACT AREA,
TIN PLATE AT SOLDER AREA,
BOTH OVER NICKEL UNDERPLATE
(3) 0.05 - 0.25µm GOLD PLATE AT CONTACT AREA,
TIN PLATE AT SOLDER AREA,
BOTH OVER NICKEL UNDERPLATE
 - PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
 - PRODUCT SPEC PS-87761-100 APPLIES.
 - BEND DEPRESSION IS ACCEPTABLE SO LONG AS IT DOES NOT AFFECT THE OVERALL COPLANARITY OF TAIL.
 - COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A FLAT SURFACE.
 - CAP TO BE LOCATED AS CENTRAL OF PART AS POSSIBLE
TOP SURFACE OF CAP TO BE FLAT FOR THE PURPOSE OF PICK & PLACE BY VACUUM SUCTION NOZZLE.
 - FOR ILLUSTRATION PURPOSES, 12CKT IS SHOWN.
 - CKT 4 & 6 IS CUT FROM CKT 8 & 12 RESPECTIVELY
ROUGH EDGES ARE EXPECTED ALONG THE CUTTING EDGES.
 - PACKAGING SPECIFICATION:
FOR TRAY: PK-89990-487
FOR TUBE: PK-89990-476/ PK-89990-474/ PK-89990-475
FOR T&R: PK-89990-484/ 485

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD 87759-3279				molex				
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 174700 DRWN: NVELUSAMY 2017/12/28 CHK'D: SCS02 2018/04/06 APPR: ISHWARG 2018/04/18								
	MM	INCH	CUSTOM HEADER MGRID, 2MM DUAL ROW HDR. SMT									
4 PLACES	±	±										
3 PLACES	±	±										
2 PLACES	±	0.2								±		
1 PLACE	±	±										
0 PLACES	±	±	PRODUCT CUSTOMER DRAWING									
ANGULAR TOL ± 3.0 °												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
				DRWN: KSEE 2003/12/12 APPR: SKTOH 2004/01/12				SD-87759-117		PSD	001	B10
THIRD ANGLE PROJECTION				DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
				A3-SIZE	87759	SEE TABLE		GENERAL MARKET		1 OF 8		




RECOMMENDED SOLDER PAD LAYOUT




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD 87759-3279				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)								EC NO: 174700 DRWN: NVELUSAMY 2017/12/28 CHK'D: SCS02 2018/04/06 APPR: ISHWARG 2018/04/18							
	MM	INCH													
4 PLACES	±	±													
3 PLACES	±	±													
2 PLACES	±	0.2	±												
1 PLACE	±	±													
0 PLACES	±	±		INITIAL REVISION:				DOCUMENT NUMBER							
ANGULAR TOL ± 3.0 °				DRWN: KSEE 2003/12/12				SD-87759-117							
APPR: SKTOH 2004/01/12															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		87759		SEE TABLE		GENERAL MARKET		2 OF 8	

EMBOSSSED CARRIER TAPE TYPE "A"




NOTES:


12. LEADER AND TRAILER TAPE




13. PEELING OFF FORCE OF THE TOP TAPE: 20 - 80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)




14. PACKAGING STANDARD IS AS PER EIA-481.
15. TAPE & REEL QUANTITY = SEE TABLE
16. THE TAPE IS TREATED FOR ANTI-STATIC


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD 87759-3279			molex							
mm		NTS												
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 174700 DRWN: NVELUSAMY 2017/12/28 CHK'D: SCS02 2018/04/06 APPR: ISHWARG 2018/04/18			CUSTOM HEADER MGRID, 2MM DUAL ROW HDR. SMT							
	MM	INCH												
4 PLACES	±	±												
3 PLACES	±	±												
2 PLACES	± 0.2	±												
1 PLACE	±	±		INITIAL REVISION: DRWN: KSEE 2003/12/12 APPR: SKTOH 2004/01/12			PRODUCT CUSTOMER DRAWING							
0 PLACES	±	±												
ANGULAR TOL ± 3.0°							DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 			SD-87759-117			PSD	001	B10		
							MATERIAL NUMBER			CUSTOMER			SHEET NUMBER	
							SEE TABLE			GENERAL MARKET			3 OF 8	

EMBOSSSED CARRIER TAPE TYPE "B"



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD 87759-3279				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)								CUSTOM HEADER MGRID, 2MM DUAL ROW HDR. SMT	
	MM	INCH							
4 PLACES	±	±		EC NO: 174700					
3 PLACES	±	±		DRWN: NVELUSAMY		2017/12/28			
2 PLACES	±	0.2		CHK'D: SCS02		2018/04/06			
1 PLACE	±	±		APPR: ISHWARG		2018/04/18			
0 PLACES	±	±		INITIAL REVISION:					
ANGULAR TOL		± 3.0 °		DRWN: KSEE		2003/12/12			
				APPR: SKTOH		2004/01/12			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SHEET	
						A3-SIZE		87759	
						MATERIAL NUMBER		CUSTOMER	
						SEE TABLE		GENERAL MARKET	
								SHEET NUMBER	
								4 OF 8	



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																												
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD 87759-3279				molex																				
mm		NTS																										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 174700 DRWN: NVELUSAMY 2017/12/28 CHK'D: SCS02 2018/04/06 APPR: ISHWARG 2018/04/18 INITIAL REVISION: DRWN: KSEE 2003/12/12 APPR: SKTOH 2004/01/12				CUSTOM HEADER MGRID, 2MM DUAL ROW HDR. SMT																				
	MM		INCH																									
4 PLACES	±		±																									
3 PLACES	±		±																									
2 PLACES	±	0.2	±																									
1 PLACE	±		±																									
0 PLACES	±		±	PRODUCT CUSTOMER DRAWING				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																
ANGULAR TOL ± 3.0 °								SD-87759-117		PSD	001	B10																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 	DRAWING A3-SIZE	SERIES 87759	MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET		SHEET NUMBER 5 OF 8																	
DOCUMENT STATUS		P1	RELEASE DATE	2018/04/18	05:28:02	3		2		1																		
FORMAT: Mkt-lega-master@-prod-A3 REVISION: D										9			8		7		6		5		4		3		2		1	

EMBOSSED CARRIER TAPE TYPE "C"

0.40 TYP.

5°

Bo

25°

5.78

8.40

CUSTOMER
PULL OUT DIRECTION

Ø1.50 $^{+0.10}_{0}$ TYP.
(PILOT HOLE)

12.00 TYP.

2.00

4.00

1.75

F



W ± 0.30

R0.50 TYP.

6.20

DOCUMENT STATUS	P1	RELEASE DATE	2018/04/18	05:28:02
-----------------	----	--------------	------------	----------


9		8		7		6		5		4		3		2		1						
PART NUMBER WITHOUT CAP IN TRAY		PART NUMBER WITHOUT CAP IN TUBE		PART NUMBER WITH CAP IN TUBE		PART NUMBER WITH CAP IN TAPE AND REEL.		PART NUMBER WITHOUT CAP IN TAPE AND REEL.		CKT SIZE	VOID CKTS	A	B	Bo	F	So	W	EMBOSSSED TYPE	QTY/ REEL	PLATING OPTION		
87759-0415		-		87759-0465		87759-0475		-		4 $\triangle 9$	-	3.90 ±0.38	2.00	5.40	11.50	-	24.00	C	750		1	
-		87759-0615		87759-0665		87759-0675		-		6 $\triangle 9$	-	5.90 ±0.38	4.00	7.20	11.50	-	24.00	C				
-		87759-0815		87759-0865		87759-0875		-		8	-	7.90	6.00	8.20	11.50	-	24.00	C				
-		87759-1015		87759-1065		87759-1075		-		10	-	9.90	8.00	10.20	11.50	-	24.00	A				
-		87759-1215		87759-1265		87759-1275		-		12	-	11.90	10.00	12.20	11.50	-	24.00	A				
-		87759-1415		87759-1465		87759-1475		-		14	-	13.90	12.00	14.20	11.50	-	24.00	A				
-		87759-1615		87759-1665		87759-1675		-		16	-	15.90	14.00	16.20	14.20	28.40	32.00	B				
-		87759-1815		87759-1865		87759-1875		-		18	-	17.90	16.00	18.20	14.20	28.40	32.00	B				
-		87759-2015		87759-2065		87759-2075		-		20	-	19.90	18.00	20.20	14.20	28.40	32.00	B				
-		87759-2215		87759-2265		87759-2275		-		22	-	21.90	20.00	22.20	20.20	40.40	44.00	B				
-		87759-2415		87759-2465		87759-2475		-		24	-	23.90	22.00	24.20	20.20	40.40	44.00	B				
-		87759-2615		87759-2665		87759-2675		-		26	-	25.90	24.00	26.20	20.20	40.40	44.00	B				
-		87759-2815		87759-2865		87759-2875		-		28	-	27.90	26.00	28.20	20.20	40.40	44.00	B				
-		87759-3015		87759-3065		87759-3075		-		30	-	29.90	28.00	30.20	20.20	40.40	44.00	B				
-		87759-3215		87759-3265		87759-3275		-		32	-	31.90	30.00	32.20	20.20	40.40	44.00	B				
-		87759-3415		87759-3465		87759-3475		-		34	-	33.90	32.00	34.20	26.20	52.40	56.00	B				
-		87759-3615		87759-3665		87759-3675		-		36	-	35.90	34.00	36.20	26.20	52.40	56.00	B				
-		87759-3815		87759-3865		87759-3875		-		38	-	37.90	36.00	38.20	26.20	52.40	56.00	B				
-		87759-4015		87759-4065		87759-4075		-		40	-	39.90	38.00	40.20	26.20	52.40	56.00	B				
-		87759-4215		87759-4265		87759-4275		-		42	-	41.90	40.00	42.20	26.20	52.40	56.00	B				
-		87759-4415		87759-4465		87759-4475		-		44	-	43.90	42.00	44.20	26.20	52.40	56.00	B				
-		87759-4615		87759-4665		87759-4675		-		46	-	45.90	44.00	46.20	26.20	52.40	56.00	B				
-		87759-4815		87759-4865		87759-4875		-		48	-	47.90	46.00	48.20	26.20	52.40	56.00	B				
-		87759-5015		87759-5065		87759-5075		-		50	-	49.90	48.00	50.20	34.20	68.40	72.00	B				




7. BEND DEPRESSION IS ACCEPTED SO LONG AS IT DOES NOT AFFECT THE OVERALL COPLANARITY OF TAIL
 8. COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A FLAT SURFACE
 9. CAP LOCATION IS CENTERED ALONG THE MATING ENDS AS SHOWN. TOP SURFACE OF CAP TO BE FLAT FOR THE PURPOSE OF PICK & PLACE BY VACUUM SUCTION NOZZLE
10. CKT 4 & 6 IS CUT FROM CKT 8 & 12 RESPECTIVELY.
ROUGH EDGES ARE EXPECTED ALONG THE CUTTING EDGES
11. THE ABOVE 8CKTS SHOWN IS FOR ILLUSTRATION ONLY.
12. TUBE LENGTH : 560mm REF.

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
F = 0		DIMENSION UNITS		SCALE		CURRENT REV DESC: REMASTERED IN NX				molex							
		mm		NTS													
F = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)								EC NO: 614469				CUSTOM HEADER 2.00MM PITCH DUAL ROW HDR, SINGLE WAFER, SMT			
F = 0																	
S = 0			MM		INCH		DRWN: GJEEVANSURES 2019/02/12				PRODUCT CUSTOMER DRAWING						
▽ = 0						CHK'D: GJEEVANSURES 2019/04/10											
C = 0		4 PLACES ± ±								APPR: ISHWARG 2019/04/15							
□ = 0		3 PLACES ± ±				INITIAL REVISION:											
■ = 0		2 PLACES ± 0.2 ±								DRWN: SKLIM01 2006/03/23							
▽ = 0		1 PLACE ± ±				APPR: PATEY 2006/03/29											
□ = 0		0 PLACES ± ±								DOCUMENT NUMBER							
■ = 0		ANGULAR TOL ± 3.0 °				SD-87759-277											
▽ = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						⌀		A3-SIZE		87759		SEE TABLE		GENERAL MARKET		1 OF 12	


CIRCUITS POSITION
CONFIGURATION




PARTS PACK IN
TUBE ORIENTATION




PART WITHOUT CAP IN TUBE
(PLS REFER TO PK SPEC: PK-89990-475)



PART WITH CAP IN TUBE
(PLS REFER TO PK SPEC: PK-89990-476)


SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: REMASTERED IN NX			molex CUSTOM HEADER 2.00MM PITCH DUAL ROW HDR, SINGLE WAFER, SMT PRODUCT CUSTOMER DRAWING								
	mm		NTS													
 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 614469							2006/03/23				
 = 0																
 = 0			MM		INCH		DRWN: GJEEVANSURES			2019/02/12						
 = 0	4 PLACES		±		±		CHK'D: GJEEVANSURES			2019/04/10						
 = 0	3 PLACES		±		±		APPR: ISHWARG			2019/04/15						
 = 0	2 PLACES		±		0.2		INITIAL REVISION:									
 = 0	1 PLACE		±		±											
 = 0	0 PLACES		±		±		DRWN: SKLIM01			2006/03/23						
 = 0	ANGULAR TOL ± 3.0 °				APPR: PATEY			2006/03/29								
= 0																
= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
= 0							A3-SIZE		87759		SEE TABLE		GENERAL MARKET		2 OF 12	


WITH CAP IN TAPE & REEL PACKAGING
THE 8CKTS SHOWN AS ABOVE IS FOR
ILLUSTRATION PURPOSE ONLY.
(THIS TYPE E/TAPE USED FOR CKT 8 TO 14)
(PLS REFER TO PK SPEC: PK-89990-484)



EMBOSSSED CARRIER TAPE TYPE "A"


- NOTES:
- LEADER AND TRAILER TAPE
-
- 160 MIN. TOP TAPE TRAILER
- 390 MIN. TOP TAPE NON BONDED TAPE
- 160 MIN. TAIL PART (EMPTY)
- 230 MIN. LEADER PART (EMPTY)
- COMPONENT
- PULL OUT DIRECTION
- PEELING OFF FORCE OF THE TOP TAPE: 20 - 80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)
-
- 15° MAX
- PEEL OFF DIRECTION
- PULL OUT DIRECTION
- TAPE & REEL SPECIFICATION IS AS PER EIA-481.
 - TAPE & REEL QUANTITY = 500 PCS/REEL
 - THE TAPE IS TREATED FOR ANTI-STATIC

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
 = 0	mm	NTS
 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	
 = 0		
 = 0	MM	INCH
 = 0	4 PLACES	±
 = 0	3 PLACES	±
 = 0	2 PLACES	± 0.2
 = 0	1 PLACE	±
 = 0	0 PLACES	±
= 0	ANGULAR TOL	± 3.0 °
= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
= 0	THIRD ANGLE PROJECTION	DRAWING
= 0		A3-SIZE
CURRENT REV DESC: REMASTERED IN NX		SERIES
EC NO: 614469		87759
DRWN: GJEEVANSURES		2019/02/12
CHK'D: GJEEVANSURES		2019/04/10
APPR: ISHWARG		2019/04/15
INITIAL REVISION:		
DRWN: SKLIM01		2006/03/23
APPR: PATEY		2006/03/29
DOCUMENT NUMBER		DOC TYPE
SD-87759-277		PSD
CUSTOMER		DOC PART
GENERAL MARKET		001
SHEET NUMBER		REVISION
3 OF 12		B3




NOTES:

1. LEADER AND TRAILER TAPE



2. PEELING OFF FORCE OF THE TOP TAPE: 20 - 80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



3. TAPE & REEL SPECIFICATION IS AS PER EIA-481.
4. TAPE & REEL QUANTITY = 500 PCS/REEL
5. THE TAPE IS TREATED FOR ANTI-STATIC

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
⌀ = 0 ⌀ = 0 ⌀ = 0 ⌀ = 0 ⌀ = 0 ⌀ = 0 ⌀ = 0 ⌀ = 0 ⌀ = 0 ⌀ = 0		DIMENSION UNITS		SCALE		CURRENT REV DESC: REMASTERED IN NX				molex							
		mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 614469 DRWN: GJEEVANSURES 2019/02/12 CHK'D: GJEEVANSURES 2019/04/10 APPR: ISHWARG 2019/04/15						CUSTOM HEADER 2.00MM PITCH DUAL ROW HDR, SINGLE WAFER, SMT							
		MM												INCH			
		4 PLACES ±		±		INITIAL REVISION: DRWN: SKLIM01 2006/03/23 APPR: PATEY 2006/03/29				DOCUMENT NUMBER SD-87759-277		DOC TYPE PSD		DOC PART 001		REVISION B3	
		3 PLACES ±		±													
		2 PLACES ±		0.2 ±		PRODUCT CUSTOMER DRAWING											
		1 PLACE ±		±													
		0 PLACES ±		±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
		ANGULAR TOL ±		3.0 °													
						THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
								A3-SIZE		87759		SEE TABLE		GENERAL MARKET		4 OF 12	

[illegible]

10		9		8		7		6		5		4		3		2		1				
PART NUMBER WITHOUT CAP IN TUBE		PART NUMBER WITH CAP IN TUBE		PART NUMBER WITH CAP IN TAPE & REEL		PART NUMBER WITHOUT CAP IN TRAY		CKT SIZE	PEG	PLATING TYPE	VOID POSITION	A	B	C	M	(F)	(G)	Bo	F1	So	W	EMBOSSED TYPE
F	87759-1061	87759-1071	87759-1081	-----	10	N	1	-----	9.90	8.00	---	3.20	5.90	8.10	10.50	11.50	---	24.00	A			
	87759-1062	87759-1072	87759-1082	-----	10	N	2	-----	9.90	8.00	---	3.20	5.90	8.10	10.50	11.50	---	24.00	A			
	87759-1063	87759-1073	87759-1083	-----	10	N	3	-----	9.90	8.00	---	3.20	5.90	8.10	10.50	11.50	---	24.00	A			
E	87759-6101	87759-7101	87759-8101	-----	10	Y	1	-----	9.90	8.00	6.00	3.20	5.90	8.10	10.50	11.50	---	24.00	A			
	87759-6102	87759-7102	87759-8102	-----	10	Y	2	-----	9.90	8.00	6.00	3.20	5.90	8.10	10.50	11.50	---	24.00	A			
	87759-6103	87759-7103	87759-8103	-----	10	Y	3	-----	9.90	8.00	6.00	3.20	5.90	8.10	10.50	11.50	---	24.00	A			
	87759-1070	87759-7030	87759-7010	-----	10	Y	1	----	9.90	8.00	6.00	3.60	6.50	8.70	10.50	11.50	---	24.00	A			
D	87759-1261	87759-1271	87759-1281	-----	12	N	1	-----	11.90	10.00	---	3.20	5.90	8.10	12.50	11.50	---	24.00	A			
	87759-1262	87759-1272	87759-1282	-----	12	N	2	-----	11.90	10.00	---	3.20	5.90	8.10	12.50	11.50	---	24.00	A			
	87759-1263	87759-1273	87759-1283	-----	12	N	3	-----	11.90	10.00	---	3.20	5.90	8.10	12.50	11.50	---	24.00	A			
	87759-6121	87759-7121	87759-8121	-----	12	Y	1	-----	11.90	10.00	---	3.20	5.90	8.10	12.50	11.50	---	24.00	A			
	87759-6122	87759-7122	87759-8122	-----	12	Y	2	-----	11.90	10.00	---	3.20	5.90	8.10	12.50	11.50	---	24.00	A			
	87759-6123	87759-7123	87759-8123	-----	12	Y	3	-----	11.90	10.00	---	3.20	5.90	8.10	12.50	11.50	---	24.00	A			
	----	-----	----	87759-0005	12	N	4	----	11.90	10.00	---	4.57	7.57	---	---	---	---	---	---			
C	87759-1461	87759-1471	87759-1481	-----	14	N	1	-----	13.90	12.00	---	3.20	5.90	8.10	14.50	11.50	---	24.00	A			
	87759-1462	87759-1472	87759-1482	-----	14	N	2	-----	13.90	12.00	---	3.20	5.90	8.10	14.50	11.50	---	24.00	A			
	87759-1463	87759-1473	87759-1483	-----	14	N	3	-----	13.90	12.00	---	3.20	5.90	8.10	14.50	11.50	---	24.00	A			
	87759-6141	87759-7141	87759-8141	-----	14	Y	1	-----	13.90	12.00	---	3.20	5.90	8.10	14.50	11.50	---	24.00	A			
B	87759-6142	87759-7142	87759-8142	-----	14	Y	2	-----	13.90	12.00	---	3.20	5.90	8.10	14.50	11.50	---	24.00	A			
	87759-6143	87759-7143	87759-8143	-----	14	Y	3	-----	13.90	12.00	---	3.20	5.90	8.10	14.50	11.50	---	24.00	A			
	----	-----	87759-0003	-----	14	Y	1	-----	13.90	12.00	---	4.00	6.70	8.05	14.20	11.50	---	24.00	A			
	87759-1470	87759-7032	87759-7012	-----	14	Y	1	----	13.90	12.00	6.00	3.60	6.50	8.70	14.50	11.50	---	24.00	A			
SYMBOLS ▽₁ = 0 ▽₂ = 0 ▽₃ = 0 ▽₄ = 0 ▽₅ = 0 ▽₆ = 0 ▽₇ = 0 ▽₈ = 0 ▽₉ = 0 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS SCALE mm NTS GENERAL TOLERANCES (UNLESS SPECIFIED) MM INCH 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ± ANGULAR TOL ± 3.0 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING SERIES DOCUMENT NUMBER DOC TYPE DOC PART REVISION EC NO: 614469 DRWN: GJEEVANSURES CHK'D: GJEEVANSURES APPR: ISHWARG 2019/02/12 2019/04/10 2019/04/15 INITIAL REVISION: DRWN: SKLIM01 APPR: PATEY 2006/03/23 2006/03/29 SEE TABLE GENERAL MARKET SHEET NUMBER 6 OF 12 2.00MM PITCH DUAL ROW HDR, SINGLE WAFER, SMT PRODUCT CUSTOMER DRAWING SD-87759-277 PSD 001 B3 </																						

10		9		8		7		6		5		4		3		2		1			
PART NUMBER WITHOUT CAP IN TUBE		PART NUMBER WITH CAP IN TUBE		PART NUMBER WITH CAP IN TAPE & REEL		CKT SIZE	PEG	PLATING TYPE	VOID POSITION	A	B	C	M	(F)	(G)	Bo	F1	So	W	EMBOSSSED TYPE	
F	87759-1661		87759-1671		87759-1681		16	N	1	-----	15.90	14.00	---	3.20	5.90	8.10	16.50	14.20	28.40	32.00	B
	87759-1662		87759-1672		87759-1682		16	N	2	-----	15.90	14.00	---	3.20	5.90	8.10	16.50	14.20	28.40	32.00	B
	87759-1663		87759-1673		87759-1683		16	N	3	-----	15.90	14.00	---	3.20	5.90	8.10	16.50	14.20	28.40	32.00	B
E	87759-6161		87759-7161		87759-8161		16	Y	1	-----	15.90	14.00	---	3.20	5.90	8.10	16.50	14.20	28.40	32.00	B
	87759-6162		87759-7162		87759-8162		16	Y	2	-----	15.90	14.00	---	3.20	5.90	8.10	16.50	14.20	28.40	32.00	B
	87759-6163		87759-7163		87759-8163		16	Y	3	-----	15.90	14.00	---	3.20	5.90	8.10	16.50	14.20	28.40	32.00	B
D	87759-1611		87759-1612		87759-1613		16	N	4	-----	15.90	14.00	---	5.50	8.20	9.60	16.50	14.20	28.40	32.00	B
	87759-1670		87759-7033		87759-7013		16	Y	1	-----	15.90	14.00	12.20	3.60	6.50	8.70	16.50	16.50	28.40	28.40	B
	87759-6737		877596707		87759-1667		16	Y	1	----	15.90	14.00	12.00	6.80	9.50	10.83	16.40	14.20	28.40	32.00	B
C																					
	87759-1861		87759-1871		87759-1881		18	N	1	-----	17.90	16.00	---	3.20	5.90	8.10	18.50	14.20	28.40	32.00	B
	87759-1862		87759-1872		87759-1882		18	N	2	-----	17.90	16.00	---	3.20	5.90	8.10	18.50	14.20	28.40	32.00	B
B	87759-1863		87759-1873		87759-1883		18	N	3	-----	17.90	16.00	---	3.20	5.90	8.10	18.50	14.20	28.40	32.00	B
	87759-6181		87759-7181		87759-8181		18	Y	1	-----	17.90	16.00	---	3.20	5.90	8.10	18.50	14.20	28.40	32.00	B
	87759-6182		87759-7182		87759-8182		18	Y	2	-----	17.90	16.00	---	3.20	5.90	8.10	18.50	14.20	28.40	32.00	B
A	87759-6183		87759-7183		87759-8183		18	Y	3	-----	17.90	16.00	---	3.20	5.90	8.10	18.50	14.20	28.40	32.00	B
	-----		87759-0002		87759-0001		18	Y	1	-----	17.90	16.00	14.00	10.30	13.00	14.31	18.40	20.20	40.40	44.00	B
					87759-1820		18	N	4	---	17.90	16.00	---	8.40	11.10	12.47	18.40	20.20	40.40	44.00	B
	87759-2061		87759-2071		87759-2081		20	N	1	-----	19.90	18.00	---	3.20	5.90	8.10	20.50	20.20	40.40	44.00	B
	87759-2062		87759-2072		87759-2082		20	N	2	-----	19.90	18.00	---	3.20	5.90	8.10	20.50	20.20	40.40	44.00	B
	87759-2063		87759-2073		87759-2083		20	N	3	-----	19.90	18.00	---	3.20	5.90	8.10	20.50	20.20	40.40	44.00	B
	87759-6201		87759-7201		87759-8201		20	Y	1	-----	19.90	18.00	---	3.20	5.90	8.10	20.50	20.20	40.40	44.00	B
	87759-6202		87759-7202		87759-8202		20	Y	2	-----	19.90	18.00	---	3.20	5.90	8.10	20.50	20.20	40.40	44.00	B
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC: REMASTERED IN NX				molex											
▽ = 0		mm		NTS		EC NO: 614469 DRWN: GJEEVANSURES 2019/02/12 CHK'D: GJEEVANSURES 2019/04/10 APPR: ISHWARG 2019/04/15				CUSTOM HEADER 2.00MM PITCH DUAL ROW HDR, SINGLE WAFER, SMT											
▽ = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)																			
▽ = 0																					
▽ = 0		4 PLACES ±		MM INCH		INITIAL REVISION: DRWN: SKLIM01 2006/03/23 APPR: PATEY 2006/03/29				DOCUMENT NUMBER SD-87759-277				DOC TYPE PSD		DOC PART 001		REVISION B3			
▽ = 0		3 PLACES ±																			
▽ = 0		2 PLACES ± 0.2 ±																			
▽ = 0		1 PLACE ±				THIRD ANGLE PROJECTION				DRAWING A3-SIZE		SERIES 87759		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET		SHEET NUMBER 7 OF 12			
▽ = 0		0 PLACES ±																			
▽ = 0		ANGULAR TOL ± 3.0 °																			
■ = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																			
▽ = 0																					
DOCUMENT STATUS		P1	RELEASE DATE		2019/04/15 06:29:54																
10		9		8		7		6		5		4		3		2		1			
FORMAT: Maf		Revision: D		Date: 2018/01/11																	

10		9		8		7		6		5		4		3		2		1																					
PART NUMBER WITHOUT CAP IN TUBE		PART NUMBER WITH CAP IN TUBE		PART NUMBER WITH CAP IN TAPE & REEL		CKT SIZE	PEG	PLATING TYPE	VOID POSITION	A	B	C	M	(F)	(G)	Bo	F1	So	W	EMBOSSSED TYPE																			
87759-6203		87759-7203		87759-8203		20	Y	3	-----	19.90	18.00	---	3.20	5.90	8.10	20.50	20.20	40.40	44.00	B																			
-----		87759-8053		87759-8054		20	N	2	-----	19.90	18.00	----	3.80	6.50	8.70	20.20	14.20	28.40	32.00	B																			
-----		87759-0019		87759-0020		20	Y	1	-----	19.90	18.00	16.00	3.20	5.90	8.05	20.50	20.20	40.40	44.00	B																			
87759-5801		87759-5802		87759-2058		20	Y	1	-----	19.90	18.00	16.00	4.30	7.00	8.31	20.50	14.20	28.40	32.00	B																			
87759-2261		87759-2271		87759-2281		22	N	1	-----	21.90	20.00	---	3.20	5.90	8.10	22.50	20.20	40.40	44.00	B																			
87759-2262		87759-2272		87759-2282		22	N	2	-----	21.90	20.00	---	3.20	5.90	8.10	22.50	20.20	40.40	44.00	B																			
87759-2263		87759-2273		87759-2283		22	N	3	-----	21.90	20.00	---	3.20	5.90	8.10	22.50	20.20	40.40	44.00	B																			
87759-6221		87759-7221		87759-8221		22	Y	1	-----	21.90	20.00	---	3.20	5.90	8.10	22.50	20.20	40.40	44.00	B																			
87759-6222		87759-7222		87759-8222		22	Y	2	-----	21.90	20.00	---	3.20	5.90	8.10	22.50	20.20	40.40	44.00	B																			
87759-6223		87759-7223		87759-8223		22	Y	3	-----	21.90	20.00	---	3.20	5.90	8.10	22.50	20.20	40.40	44.00	B																			
87759-2461		87759-2471		87759-2481		24	N	1	-----	23.90	22.00	---	3.20	5.90	8.10	24.50	20.20	40.40	44.00	B																			
87759-2462		87759-2472		87759-2482		24	N	2	-----	23.90	22.00	---	3.20	5.90	8.10	24.50	20.20	40.40	44.00	B																			
87759-2463		87759-2473		87759-2483		24	N	3	-----	23.90	22.00	---	3.20	5.90	8.10	24.50	20.20	40.40	44.00	B																			
87759-6241		87759-7241		87759-8241		24	Y	1	-----	23.90	22.00	---	3.20	5.90	8.10	24.50	20.20	40.40	44.00	B																			
87759-6242		87759-7242		87759-8242		24	Y	2	-----	23.90	22.00	---	3.20	5.90	8.10	24.50	20.20	40.40	44.00	B																			
87759-6243		87759-7243		87759-8243		24	Y	3	-----	23.90	22.00	---	3.20	5.90	8.10	24.50	20.20	40.40	44.00	B																			
87759-2661		87759-2671		87759-2681		26	N	1	-----	25.90	24.00	---	3.20	5.90	8.10	26.50	20.20	40.40	44.00	B																			
87759-2662		87759-2672		87759-2682		26	N	2	-----	25.90	24.00	---	3.20	5.90	8.10	26.50	20.20	40.40	44.00	B																			
87759-2663		87759-2673		87759-2683		26	N	3	-----	25.90	24.00	---	3.20	5.90	8.10	26.50	20.20	40.40	44.00	B																			
87759-6261		87759-7261		87759-8261		26	Y	1	-----	25.90	24.00	---	3.20	5.90	8.10	26.50	20.20	40.40	44.00	B																			
87759-6262		87759-7262		87759-8262		26	Y	2	-----	25.90	24.00	---	3.20	5.90	8.10	26.50	20.20	40.40	44.00	B																			
87759-6263		87759-7263		87759-8263		26	Y	3	-----	25.90	24.00	---	3.20	5.90	8.10	26.50	20.20	40.40	44.00	B																			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																							
SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ■ = 0 ▽ = 0 mm NTS GENERAL TOLERANCES (UNLESS SPECIFIED) MM INCH 4 PLACES ± ± 3 PLACES ± ± 2 PLACES ± 0.2 ± 1 PLACE ± ± 0 PLACES ± ± ANGULAR TOL ± 3.0 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 87759 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 8 OF 12										CURRENT REV DESC: REMASTERED IN NX										molex CUSTOM HEADER 2.00MM PITCH DUAL ROW HDR, SINGLE WAFER, SMT PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-87759-277 DOC TYPE PSD DOC PART 001 REVISION B3																			
										EC NO: 614469																				2019/02/12									
										DRWN: GJEEVANSURES																				2019/04/10									
										CHK'D: GJEEVANSURES																				2019/04/15									
										APPR: ISHWARG																													
										INITIAL REVISION:																													
										DRWN: SKLIM01										2006/03/23																			
APPR: PATEY										2006/03/29																													
A3-SIZE										87759																													
SEE TABLE										GENERAL MARKET																													
8 OF 12																																							

DOCUMENT STATUS		P1	RELEASE DATE		2019/04/15	06:29:54			
9		8		7		6		5	
4		3		2		1			

10		9		8		7		6		5		4		3		2		1				
PART NUMBER WITHOUT CAP IN TUBE		PART NUMBER WITH CAP IN TUBE		PART NUMBER WITH CAP IN TAPE & REEL		CKT SIZE	PEG	PLATING TYPE	VOID POSITION	A	B	C	M	(F)	(G)	Bo	F1	So	W	EMBOSSSED TYPE		
F		87759-2861		87759-2871		87759-2881		28	N	1	-----	27.90	26.00	---	3.20	5.90	8.10	28.50	20.20	40.40	44.00	B
		87759-2862		87759-2872		87759-2882		28	N	2	-----	27.90	26.00	---	3.20	5.90	8.10	28.50	20.20	40.40	44.00	B
		87759-2863		87759-2873		87759-2883		28	N	3	-----	27.90	26.00	---	3.20	5.90	8.10	28.50	20.20	40.40	44.00	B
		87759-6281		87759-7281		87759-8281		28	Y	1	-----	27.90	26.00	---	3.20	5.90	8.10	28.50	20.20	40.40	44.00	B
		87759-6282		87759-7282		87759-8282		28	Y	2	-----	27.90	26.00	---	3.20	5.90	8.10	28.50	20.20	40.40	44.00	B
		87759-6283		87759-7283		87759-8283		28	Y	3	-----	27.90	26.00	---	3.20	5.90	8.10	28.50	20.20	40.40	44.00	B
		87759-3061		87759-3071		87759-3081		30	N	1	-----	29.90	28.00	---	3.20	5.90	8.10	30.50	20.20	40.40	44.00	B
		87759-3062		87759-3072		87759-3082		30	N	2	-----	29.90	28.00	---	3.20	5.90	8.10	30.50	20.20	40.40	44.00	B
		87759-3063		87759-3073		87759-3083		30	N	3	-----	29.90	28.00	---	3.20	5.90	8.10	30.50	20.20	40.40	44.00	B
		87759-6301		87759-7301		87759-8301		30	Y	1	-----	29.90	28.00	---	3.20	5.90	8.10	30.50	20.20	40.40	44.00	B
		87759-6302		87759-7302		87759-8302		30	Y	2	-----	29.90	28.00	---	3.20	5.90	8.10	30.50	20.20	40.40	44.00	B
		87759-6303		87759-7303		87759-8303		30	Y	3	-----	29.90	28.00	---	3.20	5.90	8.10	30.50	20.20	40.40	44.00	B
		87759-3261		87759-3271		87759-3281		32	N	1	-----	31.90	30.00	---	3.20	5.90	8.10	32.50	26.20	52.40	56.00	B
		87759-3262		87759-3272		87759-3282		32	N	2	-----	31.90	30.00	---	3.20	5.90	8.10	32.50	26.20	52.40	56.00	B
		87759-3263		87759-3273		87759-3283		32	N	3	-----	31.90	30.00	---	3.20	5.90	8.10	32.50	26.20	52.40	56.00	B
		87759-6321		87759-7321		87759-8321		32	Y	1	-----	31.90	30.00	---	3.20	5.90	8.10	32.50	26.20	52.40	56.00	B
		87759-6322		87759-7322		87759-8322		32	Y	2	-----	31.90	30.00	---	3.20	5.90	8.10	32.50	26.20	52.40	56.00	B
		87759-6323		87759-7323		87759-8323		32	Y	3	-----	31.90	30.00	---	3.20	5.90	8.10	32.50	26.20	52.40	56.00	B
		87759-0009		-----		-----		32	Y	1	-----	31.90	30.00	28.00	8.00	10.70	---	----	----	----	---	---
		87759-0010		-----		-----		32	N	1	-----	31.90	30.00	28.00	8.00	10.70	---	----	----	----	---	---
B																						
A																						
		</																				

10		9		8		7		6		5		4		3		2		1		
PART NUMBER WITHOUT CAP IN TUBE		PART NUMBER WITH CAP IN TUBE		PART NUMBER WITH CAP IN TAPE & REEL		CKT SIZE	PEG	PLATING TYPE	VOID POSITION	A	B	C	M	(F)	(G)	Bo	F1	So	W	EMBOSSED TYPE
F	87759-3461	87759-3471	87759-3481	34	N	1	-----	33.90	32.00	---	3.20	5.90	8.10	34.50	26.20	52.40	56.00	B		
	87759-3462	87759-3472	87759-3482	34	N	2	-----	33.90	32.00	---	3.20	5.90	8.10	34.50	26.20	52.40	56.00	B		
	87759-3463	87759-3473	87759-3483	34	N	3	-----	33.90	32.00	---	3.20	5.90	8.10	34.50	26.20	52.40	56.00	B		
	87759-6341	87759-7341	87759-8341	34	Y	1	-----	33.90	32.00	---	3.20	5.90	8.10	34.50	26.20	52.40	56.00	B		
	87759-6342	87759-7342	87759-8342	34	Y	2	-----	33.90	32.00	---	3.20	5.90	8.10	34.50	26.20	52.40	56.00	B		
E	87759-6343	87759-7343	87759-8343	34	Y	3	-----	33.90	32.00	---	3.20	5.90	8.10	34.50	26.20	52.40	56.00	B		
	87759-3661	87759-3671	87759-3681	36	N	1	-----	35.90	34.00	---	3.20	5.90	8.10	36.50	26.20	52.40	56.00	B		
	87759-3662	87759-3672	87759-3682	36	N	2	-----	35.90	34.00	---	3.20	5.90	8.10	36.50	26.20	52.40	56.00	B		
	87759-3663	87759-3673	87759-3683	36	N	3	-----	35.90	34.00	---	3.20	5.90	8.10	36.50	26.20	52.40	56.00	B		
	87759-6361	87759-7361	87759-8361	36	Y	1	-----	35.90	34.00	---	3.20	5.90	8.10	36.50	26.20	52.40	56.00	B		
D	87759-6362	87759-7362	87759-8362	36	Y	2	-----	35.90	34.00	---	3.20	5.90	8.10	36.50	26.20	52.40	56.00	B		
	87759-6363	87759-7363	87759-8363	36	Y	3	-----	35.90	34.00	---	3.20	5.90	8.10	36.50	26.20	52.40	56.00	B		
	87759-0014	-----	-----	36	N	1	-----	35.90	34.00	---	9.50	12.20	---	---	---	---	---	---		
	87759-3861	87759-3871	87759-3881	38	N	1	-----	37.90	36.00	---	3.20	5.90	8.10	38.50	26.20	52.40	56.00	B		
	87759-3862	87759-3872	87759-3882	38	N	2	-----	37.90	36.00	---	3.20	5.90	8.10	38.50	26.20	52.40	56.00	B		
C	87759-3863	87759-3873	87759-3883	38	N	3	-----	37.90	36.00	---	3.20	5.90	8.10	38.50	26.20	52.40	56.00	B		
	87759-6381	87759-7381	87759-8381	38	Y	1	-----	37.90	36.00	---	3.20	5.90	8.10	38.50	26.20	52.40	56.00	B		
	87759-6382	87759-7382	87759-8382	38	Y	2	-----	37.90	36.00	---	3.20	5.90	8.10	38.50	26.20	52.40	56.00	B		
	87759-6383	87759-7383	87759-8383	38	Y	3	-----	37.90	36.00	---	3.20	5.90	8.10	38.50	26.20	52.40	56.00	B		
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				
B																				
A																				

10		9		8		7		6		5		4		3		2		1				
PART NUMBER WITHOUT CAP IN TUBE		PART NUMBER WITH CAP IN TUBE		PART NUMBER WITH CAP IN TAPE & REEL		CKT SIZE	PEG	PLATING TYPE	VOID POSITION	A	B	C	M	(F)	(G)	Bo	F1	So	W	EMBOSSSED TYPE		
F		87759-4661		87759-4671		87759-4681		46	N	1	-----	45.90	44.00	---	3.20	5.90	8.10	46.50	34.20	68.40	72.00	B
		87759-4662		87759-4672		87759-4682		46	N	2	-----	45.90	44.00	---	3.20	5.90	8.10	46.50	34.20	68.40	72.00	B
		87759-4663		87759-4673		87759-4683		46	N	3	-----	45.90	44.00	---	3.20	5.90	8.10	46.50	34.20	68.40	72.00	B
		87759-6461		87759-7461		87759-8461		46	Y	1	-----	45.90	44.00	---	3.20	5.90	8.10	46.50	34.20	68.40	72.00	B
		87759-6462		87759-7462		87759-8462		46	Y	2	-----	45.90	44.00	---	3.20	5.90	8.10	46.50	34.20	68.40	72.00	B
		87759-6463		87759-7463		87759-8463		46	Y	3	-----	45.90	44.00	---	3.20	5.90	8.10	46.50	34.20	68.40	72.00	B
		87759-4861		87759-4871		87759-4881		48	N	1	-----	47.90	46.00	---	3.20	5.90	8.10	48.50	34.20	68.40	72.00	B
		87759-4862		87759-4872		87759-4882		48	N	2	-----	47.90	46.00	---	3.20	5.90	8.10	48.50	34.20	68.40	72.00	B
		87759-4863		87759-4873		87759-4883		48	N	3	-----	47.90	46.00	---	3.20	5.90	8.10	48.50	34.20	68.40	72.00	B
		87759-6481		87759-7481		87759-8481		48	Y	1	-----	47.90	46.00	---	3.20	5.90	8.10	48.50	34.20	68.40	72.00	B
		87759-6482		87759-7482		87759-8482		48	Y	2	-----	47.90	46.00	---	3.20	5.90	8.10	48.50	34.20	68.40	72.00	B
		87759-6483		87759-7483		87759-8483		48	Y	3	-----	47.90	46.00	---	3.20	5.90	8.10	48.50	34.20	68.40	72.00	B
		87759-5061		87759-5071		87759-5081		50	N	1	-----	49.90	48.00	---	3.20	5.90	8.10	50.50	34.20	68.40	72.00	B
		87759-5062		87759-5072		87759-5082		50	N	2	-----	49.90	48.00	---	3.20	5.90	8.10	50.50	34.20	68.40	72.00	B
		87759-5063		87759-5073		87759-5083		50	N	3	-----	49.90	48.00	---	3.20	5.90	8.10	50.50	34.20	68.40	72.00	B
		87759-6501		87759-7501		87759-8501		50	Y	1	-----	49.90	48.00	---	3.20	5.90	8.10	50.50	34.20	68.40	72.00	B
		87759-6502		87759-7502		87759-8502		50	Y	2	-----	49.90	48.00	---	3.20	5.90	8.10	50.50	34.20	68.40	72.00	B
		87759-6503		87759-7503		87759-8503		50	Y	3	-----	49.90	48.00	---	3.20	5.90	8.10	50.50	34.20	68.40	72.00	B