

F



E

D



C

B

A



参考パターンレイアウト
RECOMMENDED PATTERN DIM. (REF)
SCALE:5:1 (メタルマスク厚:0.12mm)



NOTES.

1. 嵌合相手: 501330-****
MATE WITH: 501330-****
2. ソルダーピン及びネイル平坦度は、0.1MAX.
SOLDER PIN AND NAIL COPLANARITY TO BE 0.1MAX.
3. 極数=偶数に適用
APPLY FOR CKT SIZE=EVEN
4. 2~5極は、SD-504449-001を参照下さい。
REFER TO SD-504449-001 ABOUT 2-5CKT.
5. ELV及びRoHS適合品。
ELV AND RoHS COMPLIANT.

番号 NO.	部品 PART	材質 MATERIAL
①	ウエハー WAFER	ポリアミド UL94V-0 色: ナチュラル POLYAMIDE UL94V-0, COLOR: NATURAL
②	ソルダーピン SOLDER PIN	りん青銅 PHOSPHOR BRONZE 部分金メッキ: 0.1 μmMIN. SEPARATED GOLD PLATING ニッケルメッキ(下地): 1.0 μmMIN. NICKEL(UNDER PLATING)
③	ネイル NAIL	りん青銅 PHOSPHOR BRONZE 錫メッキ: 1.0 μmMIN. TIN ニッケルメッキ(下地): 1.0 μmMIN. NICKEL(UNDER PLATING)
④	カバーテープ COVER TAPE	ポリイミドテープ POLYIMIDE TAPE

※対応可能な極数は、別途お問い合わせ下さい。

14.0	17.0	504449-1507	15
13.0	16.0	504449-1407	14
12.0	15.0	504449-1307	13
11.0	14.0	504449-1207	12
10.0	13.0	504449-1107	11
9.0	12.0	504449-1007	10
8.0	11.0	504449-0907	9
7.0	10.0	504449-0807	8
6.0	9.0	504449-0707	7
5.0	8.0	504449-0607	6
B	A	EMBOSSED PACKAGE オーダー番号 ORDER NO.	極数 CKT.

CONNECTOR SERIES No. 504449-***9

RELEASED EC NO: J2012-1436 DFW:KAWASHIO CHK:KASAKAWA APPR:YOITO	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION			
				MM ONLY		10:1	METRIC				
		10 UNDER ± 0.2		DRAWN BY	DATE	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) 6-15CKT					
		10 OVER 30 UNDER ± 0.25		CHECKED BY	DATE						
		30 OVER ± 0.3		APPROVED BY	DATE	molex					
	ANGULAR ±3 °		MATERIAL NO.	DOCUMENT NO.	SHEET NO.						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-504449-002						1 OF 1
0	REV	SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

10

9

8

7

6

5

4

3

2

1

F


E

D

C


B

A



NOTES.

- 製品詳細寸法については製品単体図面を参照ください。
ABOUT DETAILED DIMENSION, SEE PRODUCT DRAWING.
- 梱包数量: 1100個/リール
NUMBER OF CONNECTORS: 1100PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH



- 材料
MATERIAL
キャリアテープ: ポリプロピレン
CARRIER TAPE: POLYPROPYLENE
トップテープ: PET、PE、REF
TOP TAPE
リール: ポリスチレン (リサイクル材を含む)
REEL: POLYSTYRENE (RECYCLE MATERIAL CONTAINED)
- ELV 及び RoHS適合品
ELV AND RoHS COMPLIANT.

9

8

7

6

5

4

3

2

RELEASED EC NO: J2012-1436 2012/12/13 DRWN:KASHIO CHKD:KASAKAWA APPR:Y01TO 2012/12/14 2012/12/21	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
		10 UNDER	±0.2	DRAWN BY KASHIO	DATE 2012/12/13	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) EMBSTP PKG						
		10 OVER 30 UNDER	±0.25	CHECKED BY	DATE							
		30 OVER	±0.3	APPROVED BY Y01TO	DATE 2012/12/21	DOCUMENT NO. molex SD-504449-004						
		ANGULAR ±1 °		MATERIAL NO.							SHEET NO. 1 OF 2	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2									
	REV 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

F


E

D

C

B

A



37.4	33.4	32	14.2	18.3	504449-1507	15
				17.3	504449-1407	14
				16.3	504449-1307	13
29.4	25.4	24	11.5	15.3	504449-1207	12
				14.3	504449-1107	11
				13.3	504449-1007	10
				12.3	504449-0907	9
				11.3	504449-0807	8
				10.3	504449-0707	7
				9.3	504449-0607	6
E	D	C	(B)	(A)	EMBOSSSED PACKAGE	極数 CKT.
				オーダー番号	ORDER NO.	
CONNECTOR SERIES No. 504449-****9						

SEE SHEET1 EC NO: J2012-1436 DRAWN: KWASHIO CHK'D: KASAKAWA APPR: YOITO 2012/12/13 2012/12/14 2012/12/21	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY DATE KWASHIO 2012/12/13		TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) EMBSTP PKG			
		10 OVER 30 UNDER	± 0.25	CHECKED BY DATE					
		30 OVER	± 0.3	APPROVED BY DATE YOITO 2012/12/21		 MOLEX INCORPORATED			
		ANGULAR ±1 °		MATERIAL NO.					DOCUMENT NO.
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-504449-004		2 OF 2		
	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							