





12.6	8.0	14.2	2005290090	9
11.6	7.0	13.2	2005290080	8
10.6	6.0	12.2	2005290070	7
9.6	5.0	11.2	2005290060	6
8.6	4.0	10.2	2005290050	5
7.6	3.0	9.2	2005290040	4
C	B	A	EMBOSSED PACKAGE オーダー番号 ORDER NO.	Ckt

CONNECTOR SERIES NO.2005291**0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
REVISED	EC NO: 117930 DRWN: JASANUMA CHK'D: YKOBAYASHI02 APPR: TKUSUHARA01	2017/06/09 2017/06/12 2017/06/12	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® 1.0 FPC ZIF BTM CONT HSG ASSY							
					MM		10:1									
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE						PRODUCT CUSTOMER DRAWING			
			4 PLACES ± 0.05		MTAKAHASHI04		2015/12/24									
			3 PLACES ± 0.1		CHK'D BY		DATE									
			2 PLACES ± 0.2		KTAKAHASHI		2015/12/25									
			1 PLACE ± 0.2		APPR BY		DATE		SERIES MATERIAL NUMBER CUSTOMER							
			0 PLACES ± 0.2		YNOGAWA		2016/01/04									
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION						200529		SEE CHART	
					A3				DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
C	REV								2005291000		PSD		000		1 OF 3	




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
REVISED	EC NO: 117930 DRWN: JASUNUMA CHK'D: YKOBAYASHI02 APPR: TKUSUHARA01	2017/06/09 2017/06/12 2017/06/12	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®						
					MM		1:1								
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE		1.0 FPC ZIF BTM CONT HSG ASSY						
			4 PLACES ± 0.05		MTAKAHASHI04		2015/12/24								
			3 PLACES ± 0.1		CHK'D BY		DATE								
			2 PLACES ± 0.2		KTAKAHASHI		2015/12/25								
			1 PLACE ± 0.2		APPR BY		DATE		PRODUCT CUSTOMER DRAWING						
			0 PLACES ± 0.2		YNOGAWA		2016/01/04								
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION			SERIES		MATERIAL NUMBER		CUSTOMER	
					A3					200529		SEE SHEET 1		GENERAL	
C	REV							DOCUMENT NUMBER			DOC TYPE		DOC PART	SHEET NUMBER	
								2005291000			PSD		000	2 OF 3	

NOTES

1. 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
2. リードテープ長さ
LEAD TAPE LENGTH

引き出し方向

PULL OUT
DIRECTION




3. カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.

4. 製品詳細寸法については、図面 2005291000-000を参照下さい。
FOR DIMINTIONS OF PRODUCT, REFER TO 2005291000-000.


5. 材料 MATERIAL
キャリアテープ：ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ：ポリエチレンテレフタレート、ポリエチレン
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
リール：ポリスチレン<リサイクル材を含む>

6. ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
REVISED	EC NO: 103009 DRWN: MTAKAHASHI04 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/02/09 2016/02/19 2016/02/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®					
					MM		2:1							
					DRWN BY		DATE							
					MTAKAHASHI04		2015/12/24		1.0 FPC ZIF BTM CONT EMBT PKG					
					CHK'D BY		DATE							
					KTAKAHASHI		2015/12/25							
					APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
					YNOGAWA		2016/01/04							
					DRAWING SIZE		THIRD ANGLE PROJECTION							
					A3				SERIES		MATERIAL NUMBER			CUSTOMER
200529		SEE CHART			GENERAL									
DOCUMENT NUMBER		DOC TYPE			DOC PART		SHEET NUMBER							
2005290000		PSD			000		1 OF 2							

引き出し方向


PULL OUT
DIRECTION




"E"



DETAIL "E"



11.5	24	29.4	25.4	10.4	14.4	15.5	2005290090	9
				9.4	13.4	14.5	2005290080	8
				8.4	12.4	13.5	2005290070	7
				7.4	11.4	12.5	2005290060	6
				6.4	10.4	11.5	2005290050	5
				5.4	9.4	10.5	2005290040	4
H	F	E	D	C	B	A	EMBOSSED PACKAGE	Ckt
							オーダー番号 ORDER NO.	
							CONNECTER NO. 2005291**0	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
REVISED	EC NO: 103009 DRWN: MTAKAHASHI04 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/02/09 2016/02/19 2016/02/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® 1.0 FPC ZIF BTM CONT EMBT PKG							
					MM		1:1									
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE						PRODUCT CUSTOMER DRAWING			
			4 PLACES ± 0.05		MTAKAHASHI04		2015/12/24									
			3 PLACES ± 0.1		CHK'D BY		DATE									
			2 PLACES ± 0.2		KTAKAHASHI		2015/12/25									
			1 PLACE ± 0.2		APPR BY		DATE									
			0 PLACES ± 0.2		YNOGAWA		2016/01/04		SERIES		MATERIAL NUMBER		CUSTOMER			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		200529		SEE CHART		GENERAL			
					A3				DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
					2005290000		PSD		000		2 OF 2					


RELEASE STATUS	P1	RELEASE DATE	19.02.2016	08:40:54
----------------	----	--------------	------------	----------

NOTES

1. 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
2. リードテープ長さ
LEAD TAPE LENGTH

引き出し方向

PULL OUT
DIRECTION





3. カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.

4. 製品詳細寸法については、図面 2005291006-000を参照下さい。
FOR DIMINTIONS OF PRODUCT, REFER TO 2005291006-000.

5. 材料 MATERIAL
キャリアテープ : ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ : ポリエチレンテレフタレート、ポリエチレン
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
リール :ポリスチレン<リサイクル材を含む>

6. ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
REVISED	EC NO: 103009 DRWN: MTAKAHASHI04 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/02/09 2016/02/19 2016/02/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®						
					MM		2:1								
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE		1.0 FPC ZIF BTM CONT EMBT PKG						
			4 PLACES ± 0.05		MTAKAHASHI04		2015/12/24								
			3 PLACES ± 0.1		CHK'D BY		DATE								
			2 PLACES ± 0.2		KTAKAHASHI		2015/12/25								
			1 PLACE ± 0.2		APPR BY		DATE		PRODUCT CUSTOMER DRAWING						
			0 PLACES ± 0.2		YNOGAWA		2016/01/04								
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER		
					A3				200529		SEE CHART		GENERAL		
					DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER				
B		REV						2005290006		PSD		000		1 OF 2	



CONNECTOR SERIES NO. 2005291**0

RELEASE STATUS	P1	RELEASE DATE	19.02.2016	08:40:56
----------------	----	--------------	------------	----------

