


NOTES

1.製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS,PLEASE SEE
THE DRAWING OF CONNECTOR ITSELF(NOT PACKAGED).




2.梱包数量：1300個/リール
NUMBER OF CONNECTORS：1300 PIECES/REEL


3.リードテープ長さ
LEAD TAPE LENGTH



4.材料
MATERIAL
CARRIER TAPE：POLYPROPYLENE.
トップテープ：PET,PE,REF
TOP TAPE：PET,PE,REF.
リール：ポリスチレン<リサイクル材を含む>

5.ELV AND RoHS COMPLIANT.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
REVISED	EC NO: 111079 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2016/12/05 2016/12/05 2016/12/05 2016/12/05	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®					
						MM		NTS							
			ANGULAR TOL ± 1.0 °			DRWN BY		DATE		PICO-CRASP 1.0W/B 1-ROW R/A 6-15 CKT. INNER LOCK TYPE EMBOSSED TAPE PKG (GOLD VERSION)					
						KOMORI		2016/09/01							
			4 PLACES ± 0.2			CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING					
						SAKIYAMA		2016/09/21							
			3 PLACES ± 0.2			APPR BY		DATE		SERIES 202396					
						TKANEKO		2016/09/21							
			2 PLACES ± 0.2			DRAWING SIZE		THIRD ANGLE PROJECTION		SEE SHEET2		CUSTOMER GENERAL			
						A3									
1 PLACE ± 0.2			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
									2023960607		PSD	000	1 OF 2		
0 PLACES ± 0.2															
B		REV													

