

OTX-418-HH-KF4-MS

✓ ACTIVE

TE Internal #: OTX-418-HH-KF4-MS

Remote Control, 418 MHz, 3.6 VDC, Encoded, Transmitter, None

Security, 1 Channel

[View on TE.com >](#)



Connectors > RF Connectors > RF Modules > Radio Modules



Radio Module Product Type: **Remote Control**

Operating Frequency Range: **418 MHz**

Operating Voltage: **3.6 VDC**

Operating Temperature Range: **0 – 70 °C [-32 – 158 °F]**

Product Width: **34.4 mm [1.35 in]**

Features

Product Type Features

Radio Module Product Type	Remote Control
Radio Type	Transmitter

Configuration Features

Remote Interface	1 - 5 Buttons
------------------	---------------

Electrical Characteristics

Operating Voltage	3.6 VDC
TX Current	12.6 mA
Power Down Current (Max)	1.5 µA

Signal Characteristics

Operating Frequency Range	418 MHz
Number of Channels	1

Dimensions

Product Width	34.4 mm[1.35 in]
Product Length	56.7 mm[2.23 in]

Usage Conditions

Operating Temperature Range	0 – 70 °C[-32 – 158 °F]
Line of Sight Distance	230 m[750 ft]

Operation/Application



Wireless Data Type	Encoded
Modulation	OOK
TX Power	0 dBm

Industry Standards

Module Security	None
Module Protocol	MS
Regulatory Type	FCC/IC

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought



 TE Part #165514-1 TERM, WIRE PIN, PIDG, 26-22	 TE Part #1658621-2 14 NOVO MIL/CTR 15DP, LEAD FREE	 TE Part #2-1393243-0 RTE25012	 TE Part #3-520125-2 ULTRAFAST 187 ASSY REC 16-14 TPBR LP
 TE Part #31819 SPLICE, SOLIS BUTT 16-14	 TE Part #2177610-3 MCON 1.2 CB TAB SWS AG	 TE Part #3-1393237-1 RTE24012F	 TE Part #OTX-418-HH-KF1-MS Remote MS 418MHz OOK AM 1Btn KF TX FCC
 TE Part #OTX-418-HH-KF2-MS Remote MS 418MHz OOK AM 2Btn KF TX FCC	 TE Part #RXM-418-LR Module LR 418MHz AM OOK RX RCVR		

Documents

Product Drawings

Remote MS 418MHz OOK AM 4Btn KF TX FCC

English

Datasheets & Catalog Pages

MS Keyfob Transmitter

English