

Product Construction:
14 Conductor Cable
Shielded and Jacketed

Product Description

VG 95218 T028 E006
(EPD94258*)

Issue B

S'sedes

A

Designer

Date

Product Manager

Date

Page 1


Janice Campbell

15/05/2002

Martyn Cook

15/05/2002

of 1



Controlled Customer Copy

B. W. B.
GERMANY

Specifications

VG 95218 Part 28 Type E

The copyright in this drawing is the property of Tyco Electronics UK Limited. The drawing is issued on condition it is not copied, reproduced or disclosed to a third party either in whole or in part without prior written consent of Tyco Electronics UK Limited.

| Layer Type / Operation | Component Details Part Numbers refer to issue in effect at date of issue of this EPD. | Nominal O.D. mm |
|--|--|---|
| Components: Cable Cable Cable | 2 of VG 95218 T021 C039 (Colour 0/6) 1 of VG 95218 T021 C038 (Colour 0/1) 4 of VG 95218 T021 C040 (Colour 0/8) Colours as above | |
| Cabling: Centre Layer 1 | 1 of VG 95218 T021 C039 1 of VG 95218 T021 C039 1 of VG 95218 T021 C038 4 of VG 95218 T021 C040 | 6.6 |
| Wrap: | Mylar | 6.7 |
| Shield: Optimised Braid | Tin Plated Copper | 7.3 |
| Wrap: | Mylar | 7.4 |
| Wrap: | Mylar | 7.7 |
| Shield: Optimised Braid | Tin Plated Copper | 8.3 |
| Jacket: Extrusion 1 | Zerohal* - Black. Marked 'Raychem - VG 95218 T028 E006 - K1010 - VDE Reg.Nr. 7708 - LFMGSSGO - (7x2x0,4)' | 9.8 ±0.4 0.70mm minimum wall |
| Maximum Surface Transfer Impedance 50 milli ohms/metre 5 milli ohms/metre @ 30 Mhz 15 milli ohms/metre @ 10 MHz | Notes Braids - AWG 36 * - Raychem Trademark | Calculated norm weight (Kg/Max. 162 182 |

If printed this document is an uncontrolled copy and reflects the issue status of the document on 27/10/2005 07:03

Lengths: Unless otherwise specified on your order this cable may be supplied in the following maximum number of continuous lengths:

Order Quantity (m)

100

+ One other length

Tyco Electronics UK Ltd
Faraday Road, Dorcan
Swindon SN3 5HH
Tel: (01793) 528171
Telex: 449409

Registration Number:
550926 London, England