

Sensor distributor - SACB-HC-B10-SMQ-8/A - 1678512


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Sensor distributor with HEAVYCON box mounting base B10, with double-locking latch, height 74 mm, with HC-B10-ESTC assembled with CK2,5-ED-0,5 ST AG and eight pieces SACC-E-M12FS-5CON-PG9/05 inserted in the side walls

RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 249496
GTIN	4017918249496

Technical data

General

Number of positions	10
Number of slots	8
Note	HC-B10-ESTC distributor on eight pieces SACC-E-M12FS-5CON-PG6/05

Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-25 °C ... 85 °C

Insulation material

Housing material	Aluminum die-cast
Housing surface material	Powder-coated, gray
Contact material	Copper alloy
Contact surface material	AG (CK2,5-ED-0,5ST AG) / AU (SACC-E_M12FS-5CON-PG9/05)
Contact carrier material	PA
Sealing material	NBR

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50

Sensor distributor - SACB-HC-B10-SMQ-8/A - 1678512


Technical data

Environmental Product Compliance


	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"
--	---

Drawings

Diagram




Dimensional drawing




Derating diagram HC-B10-ESTC

Dimensional drawing




Schematic diagram



Male insert

Sensor distributor - SACB-HC-B10-SMQ-8/A - 1678512

Circuit diagram



Circuit diagram

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

1678512