



Wire Protection & Management > Heat Shrink Shapes > Sealing Sleeves



Sealing Sleeve Product Type: **Heat Shrink & Sealing Tubing**

Expanded Inside Diameter (Min): [**.625 in**]

Recovered Inside Diameter (Max): [**.25 in**]

Primary Product Color: **Black**

Primary Product Material: **Polyolefin**

Features

Product Type Features

Sealing Sleeve Product Type	Heat Shrink & Sealing Tubing
-----------------------------	------------------------------

Body Features

Primary Product Color	Black
Primary Product Material	Polyolefin

Dimensions

	.25 in
--	--------

Usage Conditions

Operating Temperature Range	-55 – 110 °C
-----------------------------	--------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-AM71-C83998EE
Mini Circular Plastic Connectors (CPC)

Also in the Series | AMP CPC

Circular Power Connectors(458)

Connector Backshells(1)

Connector Caps & Covers(19)

Connector Contacts(6)



Connector Hardware(12)



Connector Seals & Cavity Plugs(36)



Connector Strain Relief(60)



Insertion & Extraction Tools(1)



Sealing Sleeves(2)

Customers Also Bought



TE Part #FC2311-0000-2000-L
FC23 MV 2FT CABLE 2000L




TE Part #6609048-5
6EQ1=F7262 S0



TE Part #202507-1
CONTACT PIN ASSY.




TE Part #1445390-1
PLUG,8-4,SM INS,STD KEY




TE Part #213847-4
PWRBND SOC ASY,14-12,L.P.



TE Part #3-6609107-3
PS0SXSS6A=C1079



TE Part #1445420-1
SEAL,FLANGE, SIZE 8/M13.5



TE Part #213900-1
CPC SEAL ASSY KIT,SRS 6,17-10



TE Part #53403-1
TERMINAL,PIDG PVF2 R 26-24 8



TE Part #7-6609951-9
PS00SDSXA=C4493

Documents



Product Drawings

STR RLF ASSY,TUBING,SIZE 11

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1546921-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_1546921-1_O.3d_stp.zip

English

Customer View Model

ENG_CVM_1546921-1_O.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1546921-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1546921-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1546921-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1-1773902-9_CPC_Catalog

English

1-1773902-9_CPC_Catalog

1-1773902-9_CPC_Catalog

German

1-1773902-9_CPC_Catalog

Japanese

AMP Circular Connectors for Commercial Signal & Power Applications Continued

English