






M12 4 POLE AC MALE




M12 5 POLE AC MALE





M12 8 POLE AC MALE



M12 12 POLE AC MALE



M12 4 POLE DC MALE



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
$\frac{F}{A} = 0$	mm	2:1
$\frac{F}{E} = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)	
$\frac{F}{F} = 0$	ANGULAR TOL $\pm 1.0^\circ$	
DIVISIONAL SYMBOLS	4 PLACES	± 0.0
	3 PLACES	± 0.0
	2 PLACES	± 0.05
	1 PLACE	± 0.3
	0 PLACES	± 0.5
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION
		DRAWING
		SERIES
		MATERIAL NUMBER
		CUSTOMER
		SHEET NUMBER

EC NO: 736602	2023/01/30
DRWN: RSCHIEBER	2023/01/31
CHK'D: RSILLER	2023/01/31
APPR: RSILLER	2023/01/31
INITIAL REVISION:	2021/11/30
DRWN: JELIZAINCIN	2022/07/14
APPR: RSILLER	2022/07/14

DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION
1204040066			PSD	000	A2

SEE PART LIST	GENERAL MARKET	1 OF 3
---------------	----------------	--------

10	9	8	7	6	5
POLES		4 POLE	5 POLE	8 POLE	12 POLE
VOLTAGE RATING		250V	60V	30V	30V
CODING		A - Code	A - Code	A - Code	A - Code
AMPERE RATING		4A	4A	2A	1.5A
PROTECTION CLASS CONNECTOR INTERFACE AND SHELL TO ENCLOSURE		IP 67/69K (in mated condition / when properly installed)			
OPERATING TEMP.		-40°C / +90°C			
UL/CSA CERTIFICATION		CSA FILE NO. LR6837, C'CSA'US MARK			Pending
WIRE LEAD		0.34 mm² PVC	0.34/0.5 mm² PVC	0.25 mm² PVC	0.14 mm² PVC
PIN DIAMETER		1.0 mm	1.0 mm	0.8 mm	0.6 mm



PART LIST 4P AC

MOLEX P/N	ENGINEERING NUMBER	DESCRIPTION	L [mm]	TOL. [mm]
1204040066	YR4U26E03C300	REC U12 4P AC MA PVC 0.3M M16 FM WIR BRA	300	+40
1204040070	YR4U26E03C500	REC U12 4P AC MA PVC 0.5M M16 FM WIR BRA	500	+40

PART LIST 5P AC

MOLEX P/N	ENGINEERING NUMBER	DESCRIPTION	L [mm]	TOL. [mm]
1204040067	YR5U26E03C300	REC U12 5P AC MA PVC 0.3M M16 FM WIR BRA	300	+40
1204040071	YR5U26E03C500	REC U12 5P AC MA PVC 0.5M M16 FM WIR BRA	500	+40

PART LIST 8P AC

MOLEX P/N	ENGINEERING NUMBER	DESCRIPTION	L [mm]	TOL. [mm]
1204040068	YR8U26E02C300	REC U12 8P AC MA PVC 0.3M M16 FM WIR BRA	300	+40
1204040072	YR8U26E02C500	REC U12 8P AC MA PVC 0.5M M16 FM WIR BRA	500	+40


PART LIST 12P AC

MOLEX P/N	ENGINEERING NUMBER	DESCRIPTION	L [mm]	TOL. [mm]
1204040069	YRCU26E01C300	REC U12 12P AC MA PVC 0.3M M16FM WIR BRA	300	+40
1204040073	YRCU26E01C500	REC U12 12P AC MA PVC 0.5M M16FM WIR BRA	500	+40

PART LIST 4P DC


MOLEX P/N	ENGINEERING NUMBER	DESCRIPTION	L [mm]	TOL. [mm]
1204063011	ERYA2U26E03C300	REC U12 4P DC MA PVC 0.3M M16 FM WIR BRA	300	+40
1204063012	ERYA2U26E03C500	REC U12 4P DC MA PVC 0.5M M16 FM WIR BRA	500	+40

DOCUMENT STATUS	P1	RELEASE DATE	2023/01/31	08:21:43
-----------------	----	--------------	------------	----------



NOTES:

- PARTS ACC. TO PRODUCT SPECIFICATION 1204000001 PS P10 AND IN STYLE OF IEC-61076-2-010
- BOM: SEE SHEET 3
- FOR THE ELECTRICAL RATINGS:
DERATING HAS TO BE CONSIDERED
OVERVOLTAGE CATEGORY: 3
POLLUTION DEGREE: 3, ONLY IN MATED AND LOCKED CONDITION
- MECHANICAL OPERATIONS: 100 CYCLES
- MATES WITH M12 FEMALE CORDSETS
- LABEL PRINTED WITH THE MOLEX AND ENGINEERING NUMBERS, VOLTS AND AMPERES, PRODUCTION DATE AND PRODUCTION ORDER NUMBER, UL/CSA MARKINGS AND COUNTRY OF ORIGIN LABEL APPLIED ON WHITE WIRE
- PACKAGING: SINGLE PACKED IN BAG AND THE BAGS IN MOLEX STANDARD CARTONS
- PANEL THICKNESS MAX. 4.0 mm.
- RECOMMENDED PANEL CUTOUT: SEE PICTURE IN SHEET 1

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
	DIMENSION UNITS		SCALE		CURRENT REV DESC: NOTES AND CABLE LIST UPDATED				molex REC U12 XP XC MA PVC XM M16 FM WIR SE BRA AU							
	mm		2:1													
	GENERAL TOLERANCES (UNLESS SPECIFIED)															
	ANGULAR TOL ± 1.0 °				EC NO: 736602 DRWN: RSCHIEBER 2023/01/30 CHK'D: RSILLER 2023/01/31 APPR: RSILLER 2023/01/31				PRODUCT CUSTOMER DRAWING							
	4 PLACES		± 0.0													
	3 PLACES		± 0.0													
	2 PLACES		± 0.05													
	1 PLACE		± 0.3													
	0 PLACES		± 0.5		INITIAL REVISION: DRWN: JELIZAINCIN 2021/11/30 APPR: RSILLER 2022/07/14				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								1204040066		PSD		000		A2	
DIVISIONAL SYMBOLS		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
				A3-SIZE		120404		SEE PART LIST		GENERAL MARKET		2 OF 3				

10		9		8		7		6		5		4		3		2		1	
TABLE 1 - 4P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 4P REC INSERT A-CODE PA SHORT				PA	BLACK												
5	4	CONTACT 10 MA				Cu ALLOY	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;22AWG;BU;1.58;PVC;17x0.16;UL1569				PVC	BLUE												
9	1	WIRE;22AWG;BN;1.58;PVC;17x0.16;UL1569					BROWN												
10	1	WIRE;22AWG;BK;1.58;PVC;17x0.16;UL1569					BLACK												
11	1	WIRE;22AWG;WH;1.58;PVC;17x0.16;UL1569					WHITE												
TABLE 2 - 5P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 5P REC INSERT A-CODE PA SHORT				PA	BLACK												
5	5	CONTACT 10 MA				Cu ALLOY	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;22AWG;BU;1.58;PVC;17x0.16;UL1569				PVC	BLUE												
9	1	WIRE;22AWG;BN;1.58;PVC;17x0.16;UL1569					BROWN												
10	1	WIRE;22AWG;BK;1.58;PVC;17x0.16;UL1569					BLACK												
11	1	WIRE;22AWG;WH;1.58;PVC;17x0.16;UL1569					WHITE												
12	1	WIRE;20AWG;GN/YE;1.76;PVC;26x0.16;UL1569					GREEN/YELLOW												
TABLE 3 - 8P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 8P REC INSERT MALE PA SHORT				PA	BLACK												
5	8	CONTACT 8 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;24AWG;BU;1.43;PVC;11x0.16;UL1569				PVC	BLUE												
9	1	WIRE;24AWG;BN;1.43;PVC;11x0.16;UL1569					BROWN												
10	1	WIRE;24AWG;YE;1.43;PVC;11x0.16;UL1569					YELLOW												
11	1	WIRE;24AWG;GN;1.43;PVC;11x0.16;UL1569					GREEN												
12	1	WIRE;24AWG;GY;1.43;PVC;11x0.16;UL1569					GREY												
13	1	WIRE;24AWG;PK;1.43;PVC;11x0.16;UL1569					PINK												
14	1	WIRE;24AWG;RD;1.43;PVC;11x0.16;UL1569				RED													
15	1	WIRE;24AWG;WH;1.43;PVC;11x0.16;UL1569					WHITE												
TABLE 4 - 12P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 12P REC INSERT MALE PA SHORT				PA	BLACK												
5	12	CONTACT 06 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;26AWG;BU;1.30;PVC;7x0.16;UL1569				PVC	BLUE												
9	1	WIRE;26AWG;BN;1.30;PVC;7x0.16;UL1569					BROWN												
10	1	WIRE;26AWG;YE;1.30;PVC;7x0.16;UL1569					YELLOW												
11	1	WIRE;26AWG;GN;1.30;PVC;7x0.16;UL1569					GREEN												
12	1	WIRE;26AWG;GY;1.30;PVC;7x0.16;UL1569					GREY												
13	1	WIRE;26AWG;PK;1.30;PVC;7x0.16;UL1569					PINK												
14	1	WIRE;26AWG;RD;1.30;PVC;7x0.16;UL1569					RED												
15	1	WIRE;26AWG;BK;1.30;PVC;7x0.16;UL1569					BLACK												
16	1	WIRE;26AWG;VT;1.30;PVC;7x0.16;UL1569					VIOLET												
17	1	WIRE;26AWG;WH;1.30;PVC;7x0.16;UL1569					WHITE												
18	1	WIRE;26AWG;GY/PK;1.30;PVC;7x0.16;UL1569					GREY/PINK												
19	1	WIRE;26AWG;RD/BU;1.30;PVC;7x0.16;UL1569					RED/BLUE												
TABLE 5 - 4P D-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 4P REC INSERT D-CODE PA SHORT				PA	BLACK												
5	4	CONTACT 10 MA				Cu ALLOY	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;22AWG;BU;1.58;PVC;17x0.16;UL1569				PVC	BLUE												
9	1	WIRE;22AWG;OG;1.58;PVC;17x0.16;UL1569					ORANGE												
10	1	WIRE;22AWG;YE;1.58;PVC;17x0.16;UL1569					YELLOW												
11	1	WIRE;22AWG;WH;1.58;PVC;17x0.16;UL1569					WHITE												
TABLE 6 - 12P D-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 12P REC INSERT MALE PA SHORT				PA	BLACK												
5	12	CONTACT 06 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;26AWG;BU;1.30;PVC;7x0.16;UL1569				PVC	BLUE												
9	1	WIRE;26AWG;BN;1.30;PVC;7x0.16;UL1569					BROWN												
10	1	WIRE;26AWG;YE;1.30;PVC;7x0.16;UL1569					YELLOW												
11	1	WIRE;26AWG;GN;1.30;PVC;7x0.16;UL1569					GREEN												
12	1	WIRE;26AWG;GY;1.30;PVC;7x0.16;UL1569					GREY												
13	1	WIRE;26AWG;PK;1.30;PVC;7x0.16;UL1569					PINK												
14	1	WIRE;26AWG;RD;1.30;PVC;7x0.16;UL1569					RED												
15	1	WIRE;26AWG;BK;1.30;PVC;7x0.16;UL1569					BLACK												
16	1	WIRE;26AWG;VT;1.30;PVC;7x0.16;UL1569					VIOLET												
17	1	WIRE;26AWG;WH;1.30;PVC;7x0.16;UL1569					WHITE												
18	1	WIRE;26AWG;GY/PK;1.30;PVC;7x0.16;UL1569					GREY/PINK												
19	1	WIRE;26AWG;RD/BU;1.30;PVC;7x0.16;UL1569					RED/BLUE												
TABLE 7 - 8P D-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 8P REC INSERT MALE PA SHORT				PA	BLACK												
5	8	CONTACT 8 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;24AWG;BU;1.43;PVC;11x0.16;UL1569				PVC	BLUE												
9	1	WIRE;24AWG;BN;1.43;PVC;11x0.16;UL1569					BROWN												
10	1	WIRE;24AWG;YE;1.43;PVC;11x0.16;UL1569					YELLOW												
11	1	WIRE;24AWG;GN;1.43;PVC;11x0.16;UL1569					GREEN												
12	1	WIRE;24AWG;GY;1.43;PVC;11x0.16;UL1569					GREY												
13	1	WIRE;24AWG;PK;1.43;PVC;11x0.16;UL1569					PINK												
14	1	WIRE;24AWG;RD;1.43;PVC;11x0.16;UL1569				RED													
15	1	WIRE;24AWG;WH;1.43;PVC;11x0.16;UL1569					WHITE												
TABLE 8 - 12P D-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 12P REC INSERT MALE PA SHORT				PA	BLACK												
5	12	CONTACT 06 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;26AWG;BU;1.30;PVC;7x0.16;UL1569				PVC	BLUE												
9	1	WIRE;26AWG;BN;1.30;PVC;7x0.16;UL1569					BROWN												
10	1	WIRE;26AWG;YE;1.30;PVC;7x0.16;UL1569					YELLOW												
11	1	WIRE;26AWG;GN;1.30;PVC;7x0.16;UL1569					GREEN												
12	1	WIRE;26AWG;GY;1.30;PVC;7x0.16;UL1569					GREY												
13	1	WIRE;26AWG;PK;1.30;PVC;7x0.16;UL1569					PINK												
14	1	WIRE;26AWG;RD;1.30;PVC;7x0.16;UL1569					RED												
15	1	WIRE;26AWG;BK;1.30;PVC;7x0.16;UL1569					BLACK												
16	1	WIRE;26AWG;VT;1.30;PVC;7x0.16;UL1569					VIOLET												
17	1	WIRE;26AWG;WH;1.30;PVC;7x0.16;UL1569					WHITE												
18	1	WIRE;26AWG;GY/PK;1.30;PVC;7x0.16;UL1569					GREY/PINK												
19	1	WIRE;26AWG;RD/BU;1.30;PVC;7x0.16;UL1569					RED/BLUE												
TABLE 9 - 8P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 8P REC INSERT MALE PA SHORT				PA	BLACK												
5	8	CONTACT 8 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;24AWG;BU;1.43;PVC;11x0.16;UL1569				PVC	BLUE												
9	1	WIRE;24AWG;BN;1.43;PVC;11x0.16;UL1569					BROWN												
10	1	WIRE;24AWG;YE;1.43;PVC;11x0.16;UL1569					YELLOW												
11	1	WIRE;24AWG;GN;1.43;PVC;11x0.16;UL1569					GREEN												
12	1	WIRE;24AWG;GY;1.43;PVC;11x0.16;UL1569					GREY												
13	1	WIRE;24AWG;PK;1.43;PVC;11x0.16;UL1569					PINK												
14	1	WIRE;24AWG;RD;1.43;PVC;11x0.16;UL1569				RED													
15	1	WIRE;24AWG;WH;1.43;PVC;11x0.16;UL1569					WHITE												
TABLE 10 - 12P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 12P REC INSERT MALE PA SHORT				PA	BLACK												
5	12	CONTACT 06 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;26AWG;BU;1.30;PVC;7x0.16;UL1569				PVC	BLUE												
9	1	WIRE;26AWG;BN;1.30;PVC;7x0.16;UL1569					BROWN												
10	1	WIRE;26AWG;YE;1.30;PVC;7x0.16;UL1569					YELLOW												
11	1	WIRE;26AWG;GN;1.30;PVC;7x0.16;UL1569					GREEN												
12	1	WIRE;26AWG;GY;1.30;PVC;7x0.16;UL1569					GREY												
13	1	WIRE;26AWG;PK;1.30;PVC;7x0.16;UL1569					PINK												
14	1	WIRE;26AWG;RD;1.30;PVC;7x0.16;UL1569					RED												
15	1	WIRE;26AWG;BK;1.30;PVC;7x0.16;UL1569					BLACK												
16	1	WIRE;26AWG;VT;1.30;PVC;7x0.16;UL1569					VIOLET												
17	1	WIRE;26AWG;WH;1.30;PVC;7x0.16;UL1569					WHITE												
18	1	WIRE;26AWG;GY/PK;1.30;PVC;7x0.16;UL1569					GREY/PINK												
19	1	WIRE;26AWG;RD/BU;1.30;PVC;7x0.16;UL1569					RED/BLUE												
TABLE 11 - 8P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1	NUT M16X1.5 BRASS NI HEX																	
3	1	GASKET OR NBR BK				NBR	BLACK												
4	1	MIC 8P REC INSERT MALE PA SHORT				PA	BLACK												
5	8	CONTACT 8 MA				BRASS	Au												
6	1	LABEL;SELF L.YELLOW(2.25X.75IN)				VINYL	YELLOW												
7	-	POTTING MATERIAL				PUR	BEIGE												
8	1	WIRE;24AWG;BU;1.43;PVC;11x0.16;UL1569				PVC	BLUE												
9	1	WIRE;24AWG;BN;1.43;PVC;11x0.16;UL1569					BROWN												
10	1	WIRE;24AWG;YE;1.43;PVC;11x0.16;UL1569					YELLOW												
11	1	WIRE;24AWG;GN;1.43;PVC;11x0.16;UL1569					GREEN												
12	1	WIRE;24AWG;GY;1.43;PVC;11x0.16;UL1569					GREY												
13	1	WIRE;24AWG;PK;1.43;PVC;11x0.16;UL1569					PINK												
14	1	WIRE;24AWG;RD;1.43;PVC;11x0.16;UL1569				RED													
15	1	WIRE;24AWG;WH;1.43;PVC;11x0.16;UL1569					WHITE												
TABLE 12 - 12P A-CODE																			
ITEM	QTY	DESCRIPTION				MATERIAL	FINISH/COLOR												
1	1	SHELL M16/M12MA BRASS FM L17/W17 REC U12				BRASS	Ni												
2	1																		