

CONMMCX002-SMD-T

✓ ACTIVE

TE Internal #: CONMMCX002-SMD-T
MMCX RF Interface, Jack, 50 ohm, Snap-On, 6 GHz Operating
Frequency, 1 Position, Printed Circuit Board, Board Mount, -65 –
165 °C [-85 – 329 °F]
[View on TE.com >](#)



Connectors > RF Connectors > Coax Connectors



RF Interface: **MMCX**
RF Connector Style: **Jack**
Impedance: **50 Ω**
RF Connector Coupling Mechanism: **Snap-On**
Operating Frequency: **6 GHz**

Features

Product Type Features

Connector Product Type	Connector Assembly
RF Interface	MMCX
RF Connector Style	Jack
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Right Angle
Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω
-----------	------

Body Features

Cable Connector Orientation	Right Angle
Body Material	Brass
Body Material Finish	Plated
Body Plating Material	Gold

Contact Features

RF Connector Center Contact Plating Material	Gold
--	------



RF Connector Center Contact Material	Beryllium Copper
--------------------------------------	------------------

Termination Features

Termination Method to PCB	Surface Mount
Termination Method to Wire & Cable	Solder

Mechanical Attachment

RF Connector Coupling Mechanism	Snap-On
Connector Mounting Type	Board Mount
RF Contact Captivation Method	Mechanical
Detent	Without

Usage Conditions

Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
Operating Frequency	6 GHz

Packaging Features

Packaging Quantity	1750
Packaging Method	Tape & Reel

Other

Dielectric Material	PTFE
---------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 2480671-1
MMCX M to MMCX M RA RG178 50 Ohm 6"



TE Part # L9000036-01
Antenna 2.4 FPC LH 45x7 100 MMCX




TE Part # L9000045-01
Antenna 2.4 FPC LV 7x45 150 MMCX




TE Part # ANT-868-WRT-MMCX
Antenna Dome R-Angle 868MHz RG174 MMCX


Customers Also Bought




TE Part #534998-7
14 MODIV VRT DR CE 100/125




TE Part #8-55846-2
22-18 PRE-INSUL SEALED TERM R




TE Part #2118725-2
STD SHIELD COVER, CRS-44.97X44.97X2.00MM




TE Part #5-1393789-5
V23079G2011B301




TE Part #T4151199L14-005
RPC-M12L-4MS-5.0-PVC 14AWG BK



TE Part #5552631-1
KIT,HDW,BACK PNL MTG SCR LOCK



TE Part #154809-E
SMCB 80 F AB VV 7-13 CL * H007 137 E002



TE Part #CONMMCX002-SMD
MMCX Jack 50 Ohm PCB Surface Mount



TE Part #CONSMB001-SMD-G
SMB Jack 50 Ohm PCB Surface Mount



TE Part #CSI-SGFI-100-UFFR
SMA to U.FL/MHF1 100mm 1.13 OD

Documents

Product Drawings

MMCX Jack 50 Ohm PCB Surface Mount

English

MMCX Jack 50 Ohm PCB Surface Mount

English

CAD Files

Customer View Model

ENG_CVM_CVM_CONMMCX002-SMD-T_E.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_CONMMCX002-SMD-T_E.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_CONMMCX002-SMD-T_E.3d_igs.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.