

1409299

https://www.phoenixcontact.com/us/products/1409299

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Pg16 screw connection accessories for box mounting base with cable diameter 11.5 mm  $\dots$  15 mm

### Commercial data

Item number	1409299
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF66
Product key	BF7AAZ
Catalog page	Page 651 (C-2-2017)
GTIN	4046356634687
Weight per piece (including packing)	7.95 g
Weight per piece (excluding packing)	7.95 g
Customs tariff number	39269097
Country of origin	DE



1409299

https://www.phoenixcontact.com/us/products/1409299

### Technical data

## Product properties

Product type	Half screw connection
No. of conductors	1

#### **Dimensions**

Wrench size, union nut	27 mm
Thread type on seal side	Pg16

### Material specifications

Material Pressure screw	PA
Seal material Cable seal	TPE-V
Material for screw connection	PA

#### Cable/line

External cable diameter	11.5 mm 15 mm
External cable diameter	11.5 mm 15 mm

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65
	IP66
Ambient temperature (operation)	-40 °C 100 °C

### Mounting

|--|



1409299

https://www.phoenixcontact.com/us/products/1409299

# Classifications

_	$\sim$	$\Lambda \cap \cap$
		A.7.7

	ECLASS-11.0	27440192	
E	ГІМ		
_			
	ETIM 8.0	EC002943	
UNSPSC			
	UNSPSC 21.0	39121400	



1409299

https://www.phoenixcontact.com/us/products/1409299

## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com