



TE Internal #: 324484  
Closed End Splice, Copper, Length 13.08 mm [.515 in], Loose  
Piece, Closed, Solid / Stranded Wire, Discrete Wire, Fully Insulated,  
Splices  
[View on TE.com >](#)

Terminals & Splices > Splices



Splice Type: **Closed End Splice**  
Sealable: **No**  
Contact Base Material: **Copper**  
Terminal Material Thickness: **.51 mm [ .02 in ]**  
Product Length: **13.08 mm [ .515 in ]**

Features

Product Type Features

Splice Accessory Type	Wire Cap
Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Insulation Material	Nylon
---------------------	-------

Contact Features

Contact Base Material	Copper
Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------



Dimensions

Terminal Material Thickness	.51 mm[.02 in]
Product Length	13.08 mm[.515 in]

Usage Conditions

Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 58573-1  
SPARE WIRE CAPPER ASSEMBLY

TE Part # 58573-2  
PROCRIMP DIE SPARE WIRE CAP

Customers Also Bought

TE Part #804527-000  
55PC1121-22-2/6-9CS2502

TE Part #52041-7  
TERMINAL R PG 8 1/4

TE Part #1934305-1  
Tin Man Header Assy 4x8Open

TE Part #1934222-1  
Tin Man Recpt Assy 4Pair8Column

TE Part #1445715-7  
75A HSG SUBASY BLACK

TE Part #2356426-1  
RA REC ASSY 4X4, 92OHM PIR WHISPER R

TE Part #371881-000  
55PC0212-22-9

TE Part #1-1879363-5  
THS75 470R 5%

TE Part #1SNG625045R0000  
EM-SGL-M40-MET-I

TE Part #2187812-1  
SW PIR HDR 92OHM, 4X4 OEW .3 PdNi

Documents

Product Drawings  
SPARE WIRE CAP,NAT .048-.075 INS.

English

CAD Files  
3D PDF  
3D



Customer View Model

[ENG\\_CVM\\_CVM\\_324484\\_M.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_324484\\_M.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_324484\\_M.3d\\_stp.zip](#)

English

3D PDF

English

Customer View Model

[ENG\\_CVM\\_324484\\_N.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_324484\\_N.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_324484\\_N.2d\\_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Agency Approvals

[CSA Certificate](#)

English