




TE Internal #: 2-966067-3
Ferrule, 10 AWG Wire Size, 5 – 6 mm² Wire Size, 10382 CMA Wire Size, 6.3 mm [.25 in] Barrel Inside Diameter, Closed, Crimp Wire Pins, Tabs & Ferrules
[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Ferrule**
Compatible Insulation Diameter Range: **6.2 mm [.244 in]**
Wire Size: **10382 CMA**

Features

Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Primary Product Color	Yellow
-----------------------	--------

Contact Features

Contact Mating Area Length	18 mm[.702 in]
Crimp Wire Terminal Type	Ferrule
Barrel Type	Closed
Terminal Plating Material	Tin
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

--	--



2-Wire Size	10 AWG
Strip Length	20 mm[.787 in]
Compatible Insulation Diameter Range	6.2 mm[.244 in]
Wire Size	10382 CMA
Barrel Inside Diameter	6.3 mm[.25 in]
Terminal Material Thickness	.2 mm[.007 in]
Overall Product Length	26 mm[1.024 in]

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 539660-1
ADERENDHUELSEN (Ferrule) Crimp Tool



TE Part # 2-1579001-3
CSE10-AE22 CRIMP HEAD



TE Part # 1SET191003R0000

Customers Also Bought



TE Part #1-1971773-2
PTL 1X2 PLUG HSG STD TEMP KEY A NAT




TE Part #749805-8
KIT,HDP-20,PLUG,SIZE 2, 15 POS




TE Part #749806-8
KIT, HDP-20,RCPT,SIZE 2, 15 PO




TE Part #8-6609107-9
PS0SXDSXB=C1306



TE Part #42863-2
RING CRIMP 12-10 AWG TPBR



TE Part #284040-2
TERMI-BLOK VERTICAL PLUG STACK




TE Part #284040-4
TERMI-BLOK VERTICAL PLUG STACK



TE Part #2299280-2
POD-LOK 250 FLAG AWG 16-14 PTPBR GF



TE Part #T1220240129-000
H24B-TG-PG29



TE Part #2-966067-2
FER,WIRE,PL SLV,6.00/10,L12,YELLOW, LP

Documents

Product Drawings
FER,WIRE,PL SLV,6.00/10,L18,YELLOW,LP
English



CAD Files

3D PDF

English

Customer View Model

ENG_CVM_2-966067-3_B1.2d_dxf.zip

English

Customer View Model

ENG_CVM_2-966067-3_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_2-966067-3_B1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2-966067-3_B1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2-966067-3_B1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-966067-3_B1.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Wire Ferrules

English

WIRE END FERRULES

English

Agency Approvals

CSA Certificate

English