

M5600-00000E-350BG

✓ ACTIVE

MEAS | MEAS M5600

TE Internal #: 10202005-00

Industrial Pressure Transducer / Wireless Pressure Transducer,
Gauge, Frequency Band 2400 MHz, No, Bluetooth Output Signal
Type, MEAS M5600

[View on TE.com >](#)



Sensors > Pressure Sensors > Pressure Transducers > Wireless Pressure Transducer



Pressure Sensor Type: Industrial Pressure Transducer, Wireless Pressure Transducer

Pressure: 350 bar [5000 psi]

Pressure Type: Gauge

Frequency Band: 2400 MHz

Hazardous Area Approval: No

[All Wireless Pressure Transducer \(17\)](#)

Features

Product Type Features

Pressure Sensor Type	Industrial Pressure Transducer, Wireless Pressure Transducer
Pressure Type	Gauge

Configuration Features

Electrical Connection	No Connector
-----------------------	--------------

Electrical Characteristics

Supply Voltage Range	2.7 V
----------------------	-------

Signal Characteristics

Frequency Band	2400 MHz
----------------	----------

Dimensions

Hex Width Across Flats	24 mm[.944 in]
Product Height	48.26 mm[1.9 in]

Usage Conditions

Pressure	350 bar[5000 psi]
Operating Temperature Range	-20 – 85 °C[-4 – 185 °F]

Operation/Application



Output Signal Type	Bluetooth
Proof Pressure Range	2X Rated
Pressure Accuracy	±0.25% FSO

Industry Standards

Hazardous Area Approval	No
-------------------------	----

Other

Sensor Options	IP67 Protection
Port Fitting	1/4 MBSPP

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | MEAS M5600



Customers Also Bought



Documents

- CAD Files
- 3D PDF
- 3D
- Customer View Model
- ENG_CVM_CVM_10202005-00_C.2d_dxf.zip
- English



Customer View Model

[ENG_CVM_CVM_10202005-00_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_10202005-00_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[M5600](#)

English

Product Specifications

[Purchase Specification](#)

English