

2202546

https://www.phoenixcontact.com/us/products/2202546

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Perfboard for the ME-PLC 40 DEV-KIT; for 36-pos. CCDN 2,5 header; suitable for manual soldering



Your advantages

- · Hole matrix PCB for self-assembly
- · Hole matrix dimension: 2.54 mm
- · Easy installation

Commercial data

Item number	2202546
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ACHEAE
GTIN	4055626142531
Weight per piece (including packing)	57.96 g
Weight per piece (excluding packing)	57.96 g
Country of origin	DE



2202546

https://www.phoenixcontact.com/us/products/2202546

Technical data

Product properties

Product type	PCB
Housing type	DIN rail housing
Housing series	ME PLC
Product family	ME PLC

Dimensions

Width	1.6 mm
Height	166.8 mm
Depth	118.5 mm

Material specifications

Color	green
Housing material	FR 4-21

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	110 °C (depending on power dissipation)
---------------------------------	---



2202546

https://www.phoenixcontact.com/us/products/2202546

Classifications

ECLASS

	ECLASS-11.0	27182702		
	ECLASS-13.0	27260692		
ETIM				
	ETIM 9.0	EC001031		
UNSPSC				

UNSPSC 21.0 31261500



2202546

https://www.phoenixcontact.com/us/products/2202546

Environmental product compliance

EU RoHS

20 1010	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com