



Connectors > Rectangular Connectors > Rectangular Contact Inserts



Contact Type: **Socket**

Number of Positions: **1**

Sealable: **No**

Contact Current Rating (Max): **775 A**

Circuit Application: **Power**

Features

Product Type Features

Sealable	No
----------	----

Configuration Features

Number of Positions	1
---------------------	---

Body Features

Primary Product Material	Beryllium Copper
--------------------------	------------------

Contact Features

Contact Type	Socket
Contact Current Rating (Max)	775 A

Usage Conditions

Operating Temperature Range	-196 – 200 °C[-320 – 392 °F]
-----------------------------	------------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



TE Part #0460-202-16141
PIN, SOLID, SIZE 16, 16-20AWG, NI

TE Part #6-192038-0
LA3 .280, .008, SILVER PL

TE Part #1-192004-4
BAND STRIP LA1B(.006)SIL

TE Part #5-192013-4
LA1A .375 .006 SIL. PL

TE Part #CX6566-000
BND-0812S

TE Part #47386
DAHT PG PIDG 26-16 ASSY

TE Part #880810-2
COVER CAP 2 WAY

TE Part #6-192013-7
LA1A,.472,.006,SIL PL

Documents

Product Drawings

TORS.FORMED BAND,(F) SIV.

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-192033-6_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-192033-6_H.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2-192033-6_H.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_2-192033-6_F2.3d_igs.zip

English

Customer View Model

ENG_CVM_2-192033-6_F2.3d_stp.zip

English

Customer View Model

ENG_CVM_2-192033-6_F2.2d_dxf.zip

English

3D PDF

English



3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED
English