




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **4106 – 6529 CMA**

Stud Size: **M6**

Features

Product Type Features

Shape Description	D Shaped
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M6
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	2.199 g
----------------	---------

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Unplated
Contact Underplating Material	None

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.17 in
Wire Size	4106 – 6529 CMA
Stud Diameter	6.73 mm [.265 in]
Tongue Thickness	1.02 mm [.04 in]
Product Length	24.13 mm [.95 in]
Barrel Inside Diameter	2.54 mm, 4.82 mm [.1 in] [.19 in]
Compatible Insulation Diameter (Max)	5.33 mm [.21 in]
Compatible Insulation Diameter Range	4.32 – 5.33 mm [.17 – .21 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	3000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free


Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 60485-1
RING TERMINAL 14-12 AWG TPBR




TE Part # 42639-1
RING TERMINAL 14-12 AWG BR




TE Part # 567335-2
HDMEAPO180F300FK


Customers Also Bought




TE Part #40723
RING 138(3.50 MM) TERMINAL18-14 AWG TPBR




TE Part #61234-1
.156 MNL PIN 12-10 PTPBR




TE Part #63522-1
250 FASTON TAB 20-15 AWG NPST




TE Part #63301-1
250 FASTON TAB 22-15 AWG NPST




TE Part #2-520263-2
ULTRA-FAST 250 ASY REC 22-18 TPBR



TE Part #61945-2
187 FASTON REC 18-16 NPST



TE Part #HD34-18-14PE
REC, 14P, AL, E, 16, P



TE Part #5201946022
RT-3-NO.3-0-1IN



Documents

Product Drawings

[RING TERMINAL 14-12 AWG BR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_41604_R_c-41604-r.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_41604_R_c-41604-r.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_41604_R_c-41604-r.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English