
** Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~CATALOG~ DRAWING

| SIZE | PART NO. | REV. | REV. | ~



ELECTRICAL SPECIFICATIONS

IMPEDANCE (OHMS)						
25 MHz	100 MHz					
224 Min.	313 Min.					

BOLD NUMBERS ARE IN MILLIMETERS

LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 PARTS TO MEET FAIR-RITE PRODUCTS CORP. GENERIC VISUAL INSPECTION CRITERIA FOR SHIELD BEADS.
- 2 IMPEDANCE MEASURED ON A HP4193A, USING AN 04193-87001 PROBE KIT WITH A WIRE LENGTH OF **25.4mm** [1"].
- 3 PART MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-55 SPECIFICATION FOR THERMAL SHOCK RESISTANCE.
- 4 WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, SPECIFICATION FOR SOLDERABILITY.
- 5 PART IS BULK PACKAGED

BEAD-ON-LEAD ASSEMBLY								
DRAWN BY	DATE 12/30/2019	SIZE	PAF	RT NO.			REV.	
CHKD BY		В	2	7430)14	-221	\sim	
APPRVD BY		SCAI	F٠	NONE	SL	IFFT 1 O	F 1	

FR# 43