











Copyright FCI.

PART NUMBER SEE SHEET 2



spec ref *				dr		Rainbow Zhan	2015/01/26	projection		MM		size	A3	scale	3:2			
tolerance std				eng		Rainbow Zhan	2015/02/11					ecn no		-				
ASME Y14.5				chr		-	-					rel level		Released				
				appr		Pei-Ming Zheng	2015/02/11	product family		PwrBlade+								
surface			linear	0.X	±0.5		title			6LP + 24S + 3HP			dwg no		10106266-3606001		rev	A
				0.XX	±0.25													
				0.XXX	±0.10													
ASME Y14.5			angular	0°	±2°	www.fci.com		cat. no.		Product - Customer Drw				sheet 1 of 3				

A

B

C

D


A

B

C

D

- NOTES:
- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
 - 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
 - 3) PLATING SPECIFICATION REFER TO FCI 10116351
 - 4) DENOTES CONNECTOR KEEP OUT ZONE.
 - 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
 - 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
 - 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
 - 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



dr	Rainbow Zhan	2015/01/26	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	scale			
eng	Rainbow Zhan	2015/02/11			A3	3:2			
chr	-	-			ecn no	-			
appr	Pei-Ming Zheng	2015/02/11	product family		PwrBlade+	rel level	Released		
	title	6LP + 24S + 3HP VERTICAL STB HEADER			dwg no	10106266-3606001	rev	A	
www.fci.com	cat. no.	Product - Customer Drw				sheet 3 of 3			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10106266-3606001LF](#)