










PRODUCT NUMBER SEE SHEET 2




spec ref		*		dr		Rainbow Zhan		2015/08/23		projection				size		A3		scale		3:2			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Zhen-Hua Liu		2015/09/21						ecn no		-							
ASME Y14.5				chr		Fancy Zhang		2015/09/21															
				appr		Pei-Ming Zheng		2015/09/21						product family		PwrBlade+		rel level		Released			
surface				linear		0.X		±0.5				title		2P+20S+2P		dwg no		10106262-4005001		rev		A	
				0.XX		±0.25																	
				0.XXX		±0.10																	
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.				Product - Customer Drw		sheet 1 of 3							






Copyright FCI.

PRODUCT NO.	ROWS	HIGH POWER					SIGNAL					HIGH POWER		E2
		E1	P1	P2	1	2	3	4	5	P3	P4			
10106262-4005001LF	DCBA		H1	H1	UUUUUU	TTTTTT	SSSSSS	RRRRRR		H1	H1			



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Rainbow Zhan	2015/08/23		projection		size	A3	scale	3:2	
eng	Zhen-Hua Liu	2015/09/21				ecn no	-			
chr	Fancy Zhang	2015/09/21				rel level	Released			
appr	Pei-Ming Zheng	2015/09/21	product family			PwrBlade+				
		title				2P+20S+2P	dwg no	10106262-4005001	rev	A
www.fci.com		cat. no.		Product - Customer Drw			sheet 2 of 3			
		RA STB HEADER								

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.  
APPLICATION SPECIFICATION : GS-20-141.  
PRODUCT PACKAGE SPECIFICATION : GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2015/08/23	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2
eng	Zhen-Hua Liu	2015/09/21			ecn no	-		
chr	Fancy Zhang	2015/09/21			rel level	Released		
appr	Pei-Ming Zheng	2015/09/21	product family		PwrBlade+			
<div>www.fci.com</div>		cat. no.			Product - Customer Drw			sheet 3 of 3

<div>FCi</div>	title	2P+20S+2P		dwg no	10106262-4005001		rev
		RA STB HEADER					
www.fci.com		cat. no.		Product - Customer Drw			sheet 3 of 3