


Bilingual CAUTION Hard Hats Required Sign

Bilingual CAUTION Hard Hats Required Sign



Product Highlights

Sign Size (H x W):

14" x 10"

Material:


Aluminum

Part Number:

38585

ADD TO CART

1



Add To Favorites

You May Also
Like



Bilingual CA
Hard Hats Re
Sign



Bilingual CA
Hard Hats Re
Sign



Bilingual CA
Hard Hats Re
Sign



CAUTION H



Overview

Durable Non-Reflective Aluminum (B-555) is a rigid aluminum panel with protected graphics designed for use in industrial, utility, commercial and institutional environments.

- Non-Reflective Aluminum (B-555) is ideal for indoor and outdoor usage
- Printed with durable inks and clear-coat protection for fade resistance
- Withstands wind, rain, sunlight and high temperatures
- Average outdoor durability 5-8 years

Specifications

Material Number	B-555
Country of Origin	US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney.
Catalog Page #	55
Dimensions	14 in H x 10 in W x 0.035 in D
UOM	Each
Illumination	Not Illuminated
Indoor or Outdoor Use	Outdoor Use
Laminated	Not Laminated
Maximum Service Temperature °F	230 °F
Minimum Service Temperature °F	-40 °F
PSPA Photoluminescence Class	Not Illuminated
Product Number	38585
UPC	754473385859
Reverse Legend	No Reverse Text
Sign Size (H x W)	14" x 10"
Thickness	0.035 in
UNSPSC	55121704
Write-On	No
Write-On Area?	No
Coating Material	Clear Overcoat
Color	Black on Yellow
Header	CAUTION/PRECAUCION
Language	English, Spanish
Material	Aluminum
Material Properties	Rigid
Meets Industry Standards - Signs	ANSI Z53.1-1967
Mounting Type	Corner Holes
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant

Reverse Header	No Reverse Header
Shape	Rectangle
Text Legend	HARD HATS REQUIRED/USO OBLIGATORIO DE CASCO DE PROTECCION

Solutions

[Floor Marking Guide](#)
[GHS Label Compliance](#)
[Lockout Tagout Compliance](#)
[Arc Flash Labeling Requirements](#)
[Cable and Wire Label Options](#)
[Product and Barcode Labeling](#)

Services

[Lockout Tagout Services](#)
[Arc Flash Services](#)
[Confined Space Services](#)
[Software Programming & Integration](#)
[Label Template & File Conversion](#)
[Printer Use & Training](#)
[Printer Preventative Maintenance](#)
[Toll and Custom Coating](#)
[Authentication & Tracking Services](#)

Help

[Contact Us](#)
[Website Feedback](#)
[Knowledge Center](#)
[Printer Drivers & Firmware](#)
[Brady Software Updates](#)
[Safety Data Sheets](#)
[Technical Data Sheets](#)
[WEEE-RoHS Compliance](#)
[Product Certification](#)
[Printer Registration](#)

Resources

[Find a Distributor](#)
[Design Custom Safety Signs](#)
[Create Custom THT Labels](#)
[Printer Selection Tool](#)
[Label Selection Tool](#)
[Digital Catalog](#)
[Request a Catalog](#)
[Interactive Facility Map](#)
[EPA e-Manifest Update](#)

Corporate


[About](#)
[Careers](#)
[Investors](#)
[Privacy Policy](#)
[Terms and Conditions](#)
[Terms of Use](#)
[ISO Certificates](#)

Other BradyContact Sites

[Distributor Portal](#)
[International Sites](#)
[Safety Services & Software Brand Protection Solutions](#)

6555 W. Good Hope Rd.
 Milwaukee, WI 53223
 Phone: 888-250-3082
 Hours: 7am-6pm CT
 Monday - Thursday;
 Friday 7am-5pm CT

Brady (NYSE:BRC) is a manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.



2019 © Brady Worldwide, Inc.