



Accept

Products

Solutions

Support

About

Search

Home > Products > Multichip Packages > NAND-Based MCP > MT29GZ5A5BPGGA 53IT

ADD

EMAIL



MT29GZ5A5BPGGA-53IT

SPECS

ROHS
CERTIFICATES

DOCUMENTATION
& SUPPORT

WHERE
TO BUY

SPECS

ROHS
CERTIFICATES

DOCUMENTATION
& SUPPORT

WHERE
TO
BUY

Specs

Orderable Parts for: MT29GZ5A5BPGGA-53IT

SEE ALL NAND-BASED MCP PARTS

	Status	Media	FBGA Code	SPD Data	Chipset Validation	PLP	Start Date	Alternative Part
MT29GZ5A5BPGGA-53IT.87J	Sampling	N/A	JZ080	N/A	N/A	No		N/A

Detailed Specifications

Part Status Code	Sampling	NAND Density	4Gb	DRAM Type	LPDDR4	DRAM Density	4Gb
Bus Width	x8	Secondary Bus Width	x32	RoHS	Yes	Voltage	1.8V
Package	WFBGA	Pin Count	149-ball	Clock Rate	1866 MHz	Operating Temp	-40C to +85C

RoHS Certificates

RoHS Certificates

RoHS Certificate of Compliance (PDF)

Part-specific certification of how this product meets the requirements of the current DIRECTIVE 2011/65/EU and 2015/863/EU, a.k.a. Restriction of Hazardous Substances (RoHS) Directive (Recast) without exemptions.

File Type: (PDF)

Updated: 09/2018

DOWNLOAD

RoHS Certificates

China RoHS Certificate (PDF)

Part-specific certification as required by China's Management Methods for Controlling Pollution by Electronic Information Products.

File Type: (PDF)

Updated: 09/2018

[DOWNLOAD](#)

Documentation & Support

[See All NAND-Based MCP Documentation](#)

Technical Notes

[SEARCH \(2\) NAND-BASED MCP TECHNICAL NOTES](#)

Technical Notes

[TN-00-01: Moisture Sensitivity of Plastic Packages \(PDF\)](#)

(TN-00-01) This technical note describes shipping procedures for preventing memory devices from absorbing moisture and recommendations for baking devices exposed to excessive moisture.

File Type: PDF

Updated: 02/14/2013

[DDR SDRAM](#)
[DDR2 SDRAM](#)
[DDR3 SDRAM](#)
[DDR3L-RS](#)
[See More Tags](#)

[DOWNLOAD](#)

Technical Notes

[TN-10-08: Thermal Implications for LPDDR Die Stacks \(PDF\)](#)

(TN-10-08) This technical note presents a case study of a handset simulation in which an LPDRAM is stacked on an application processor (PoP) and the resulting thermal-profile modeling. This note also explains how thermal detection features included in LPDDR and LPDDR2 can be used to...

File Type: PDF

Updated: 07/26/2010

[Mobile](#)
[Multichip Packages](#)
[NAND-Based MCP](#)

[DOWNLOAD](#)

Customer Service Notes

[SEE ALL CUSTOMER SERVICE NOTES](#)

Customer Service Note

[Product Marks, Product Labels, and Packaging Labels \(PDF\)](#)

(CSN-11) The first section of this customer service note describes the product marks and labels we place on our devices. The second section describes the labels used on and in our packaging.

[3D XPoint](#)
[Client](#)
[Cloud](#)
[Cloud](#)
[See More Tags](#)

Customer Service Note

Micron Component and Module Packaging (PDF)

(CSN-16) Explanation of Micron packaging labels and procedures.

File Type: PDF

Updated: 03/20/2018

[Client](#)
[Cloud](#)
[Cloud](#)
[Data Center](#)
[See More Tags](#)

DOWNLOAD

Where to Buy

[Contact Your Sales Rep](#)[- OR - Check with Distributors](#)

CONTACT A REP

Your Region: 

VIEW



VIEW

[See All Distributors](#)**Products**

DRAM
DRAM Modules
NAND Flash
Managed NAND
NOR Flash
Hybrid Memory Cube
Multichip Packages
Memory Cards
Solid State Drives

Solutions

By Industry
Automotive Memory Solutions
Consumer
Embedded Memory Solutions
Federal Solutions
Financial Services
Industrial Memory Solutions
Mobile Memory Solutions
Networking Innovations

By Application

Client
Cloud
Data Center
Storage Data Security
Enterprise SSD Storage
Supercomputing Memory

Support

Contact Us
Support Documentation and Downloads
Sales Support
Sales Network
Authorized Sales
Authorized Distributors
Legal
Site Map
Surplus Equipment

About

Our Company
News and Events
Micron Blogs
Careers
Micron Foundation
History of Innovation
Locations
Our Commitment
Investor Relations
Suppliers

