




Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories



Automotive Connector Accessory Type: **Locking Plate**
Primary Product Material: **PBT**
Primary Product Color: **Black**
Operating Temperature Range: **-30 – 105 °C [-22 – 221 °F]**

Features

Product Type Features

Automotive Connector Accessory Type	Locking Plate
-------------------------------------	---------------

Body Features

Primary Product Material	PBT
Primary Product Color	Black

Usage Conditions

Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC




Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | Mark II



Automotive Connector Locks & Position Assurance(1)



Automotive Housings(6)



Automotive Terminals(5)



Connector Seals & Cavity Plugs(1)



Crimp Terminal Housings(76)



Insertion & Extraction Tools(2)



Other Automotive Connector Accessories(1)



Quick Disconnects(57)

Customers Also Bought





TE Part #HD34-24-31SE
REC, 31P, AL, E, 16, S




TE Part #172500-1
MIC MARK-2 PLUG HSG 17P



TE Part #HDC34-18
DUST CAP, 18SZ, PLG, AL, LANYARD, HD30




TE Part #172504-1
MIC CAP HSG 5P MK II



TE Part #172047-2
DLI HSG 20 POS MOD IV TYPE



TE Part #174397-2
MIC MK-2 DBL LOCK PLATE 9P



TE Part #172774-4
MIC MK-II LP



TE Part #172514-1
MIC MARK II 11P HSG



TE Part #174398-2
MIC-MK2 DBL LOCK PLATE 11POS.



TE Part #172245-2
12P DLI PLUG HSG

Documents

Product Drawings

MIC MK-2 DBL LOCK PLATE 17P

English

CAD Files

Customer View Model

ENG_CVM_174400-2_O.3d_igs.zip

English

Customer View Model

ENG_CVM_174400-2_O.3d_stp.zip

English

Customer View Model

ENG_CVM_174400-2_O.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Multi-Interlock Mark II Connector for Wire to Board Termination

English

Product Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

Mounting Double Lock Plate for MIC-MKII Conn.

English