




Terminals & Splices > Splices



Splice Type: **Butt Splice**
Wire Size: **21 mm²**
Sealable: **No**
Splice Features: **Standard**

Features

Product Type Features

Splice Accessory Type	Splice
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Product Weight	16.612 g
Splice Features	Standard

Contact Features

	100 μin
Terminal Plating Material	Tin
Contact Base Material	Copper

Barrel Type	Closed
-------------	--------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Outside Diameter	11.76 mm[.463 in]
Wire Size	33100 – 52600 CMA
Barrel Inside Diameter	7.52 mm[.296 in]
Terminal Material Thickness	1.85 mm[.073 in]
Product Length	28.96 mm[1.14 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	100
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 601075
BANTAM ROTA-CRIMP TOOL



TE Part # 8-34323-3
SPLICE,SOLIS BUTT 4



TE Part # 1490413-3
HYP10 SOLIS 4AWG NEST




TE Part # 1490414-2
HYP10 SOLIS HD 6-4AWG INDENTER




TE Part # 48127
HYP8 SOLIS 6-2AWG INDENTER




TE Part # 69218
HYP8/10 SOLIS 4AWG DIE SET



TE Part # 600850
ROTO-CRIMP TOOL (ASI)





TE Part # 1901000-2
NEST #4



TE Part # 48129
HYP8 SOLIS 4AWG NEST

Customers Also Bought

 TE Part #8-35149-2 TERMINAL,PIDG R 12-10 6	 TE Part #2-36932-2 TERMINAL,SOLIS R 4/0 1/4	 TE Part #52197-1 TERM, RING, SOLIS, 6, #10, T&R	 TE Part #42021 250 FASTON REC 16-12 AWG TPBR
 TE Part #808016-000 222D142-3-0	 TE Part #D369-P99-NP0 369 9 WAY PLUG, NO CONTACTS, PIN	 TE Part #D369-R99-NS0 369 9 WAY REC, NO CONTACTS, SKT	 TE Part #1-1393130-0 PRD-7AY0-240=PRD

Documents

Product Drawings
SPLICE,SOLIS BUTT 4

English

CAD Files
Customer View Model
ENG_CVM_CVM_34323_H.2d_dxf.zip

English

3D PDF

3D

Customer View Model
ENG_CVM_CVM_34323_H.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_34323_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
SOLISTRAND - QRG

English

Agency Approvals
UL Report

English

UL Report

English

