




Connectors > Contacts > Connector Contacts



Contact Type: **Socket**
Contact Mating Area Plating Material: **Gold**
Wire Contact Termination Area Plating Material: **Gold Flash**
Contact Retention Within Housing: **With**
Contact Size: **Size 16**

Features

Product Type Features

Discrete Wire Type	Stranded
--------------------	----------

Contact Features

Mating Pin Diameter	1.57 mm[.062 in]
Contact Underplating Material Thickness	1.27 µm[50 µin]
Wire Contact Termination Area Plating Thickness	.076 µm[3 µin]
Wire Contact Termination Area Plating Material Finish	Bright
Contact Mating Area Plating Material Thickness	.76 µm[30 µin]
Contact Mating Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Type	Socket
Contact Mating Area Plating Material	Gold
Wire Contact Termination Area Plating Material	Gold Flash
Contact Retention Within Housing	With
Contact Size	Size 16



Contact Base Material	Brass
Contact Current Rating (Max)	13 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	.89 – 1.4 mm[.035 – .055 in]
Wire Size	.12 – .2 mm²

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Quantity	200
Packaging Method	Bag, Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 91515-1 CCI TYPE III+ MNL PIN SKT 30-20 ASSY	TE Part # 58495-2 PROCRIMPER DIE ASSY MULTIMATE	TE Part # 200893-2 INSERTION TOOL CONT	TE Part # 58495-1 PRO CRIMPER ASSY MULTIMATE
TE Part # 539972-1 EXTRACTION TOOL	TE Part # 305183 EXTRACT TOOL TYPE 2 20-16	TE Part # 2384426-2 SDE F TYPE III+ 0.56-0.12mm2 DIE SET	TE Part # 2384426-1 SDE F TYPE III+ 0.56-0.12mm2 ASSY

Also in the Series | AMP Type III+

Connector Contacts(400)	Insertion & Extraction Tools(4)
--------------------------------	--

Customers Also Bought



TE Part #1-1879075-6 THS25 2R2 5%	TE Part #20009605-53 FX292X-100A-0200-L	TE Part #1558666-4 T9GS1L14-15	TE Part #3-1879444-3 TE 100W 470R 5% Bracket
TE Part #4-2176412-3 5W XSM M/OX 5% 300R	TE Part #6-1879352-4 RR02 5% 130R AMMO	TE Part #5677944003 RNF-3000-12/4-X-SP	TE Part #1718165-1 MINI MAG MATE CONTACT (LEAF SPRING)
TE Part #154717-E SMCB 12 F AB VV 7-03 CL * H007 137 E002	TE Part #E0-0242-002-000 615/915 METAL FLANGE, HINGED		

Documents

Product Drawings

[.062 DIA SOCKET ASSY 3+ \(LP\)](#)

English

[.062 DIA SOCKET ASSY 3+ \(LP\)](#)

English

CAD Files

[3D PDF](#)

[3D](#)

Customer View Model

[ENG_CVM_CVM_163092-2_Y.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_163092-2_Y.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_163092-2_Y.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Product Specifications

Product Specification

English