

Datasheet

RS Pro Bright Zinc Plated Steel Wing Nut, M5

RS Stock No: **521-866**



Product Details

RS Pro wing nut has a bright zinc plated stainless steel construction for corrosion resistance. This wing nut has a M5 metric threading that is designed to stay in position in despite conditions of severe vibration.

Features and Benefits


- Has a M5 metric threading
- Designed to stay in position despite conditions of severe vibration
- Bright zinc plated stainless steel construction



ENGLISH

Specifications:

Finish	Bright Zinc Plated
Material	Steel
Thread Size	M5
Wing Length	24 mm
Height	11 mm
Outside Diameter	8 mm
Specification	DIN 315
Thickness	2.3 mm
Thread Pitch	0.8



COLD FORGED STEEL WING NUTS

SIZE	BLANK No.	A	B
METRIC			
M3	1	18.50	9.00
M4	1	18.50	9.00
M5	2	22.50	10.50
M6	3	26.50	12.80
M8	4	30.30	14.70
M10	5	35.50	17.30
M12	6	49.00	22.00
M16	7	62.60	30.50
M20	8	65.40	31.00
IMPERIAL			
3/16 10UNC	2	22.50	10.50
1/4	3	26.50	12.80
5/16	4	30.30	14.70
3/8	5	35.50	17.30
7/16	6	49.00	22.00
1/2	6	49.00	22.00
5/8	7	62.60	30.50
3/4	8	65.40	31.00