

#### **Nanonics**

TE Internal #: 7-1589487-6

Receptacle, Wire-to-Board, 25 Position, 1.27 mm [.05 in] Centerline, Printed Circuit Board, Power, Microminiature & Nanominiature D


Connectors

View on TE.com >



Connectors > D-Shaped Connectors > Microminiature & Nanominiature D Connectors >

DUALOBE Receptacle Connector: Plastic Shell, 2 Row Config



Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 25

Centerline (Pitch): 1.27 mm [ .05 in ]

Sealable: No

All DUALOBE Receptacle Connector: Plastic Shell, 2 Row Config (25)

#### **Features**

## **Product Type Features**

Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	25
Contact Features	
Contact Options	Installed
Contact Type	Socket
Termination Features	
Termination Method to PCB	Through Hole - Solder

Termination Method to PCB	Through Hole - Solder
Termination Method to Wire & Cable	Preterminated Flying Leads

#### **Housing Features**

Centerine (Fitch)	Centerline (Pitch)	1.27 mm[.05 in]
-------------------	--------------------	-----------------

## Operation/Application

Receptacle, Wire-to-Board, 25 Position, 1.27 mm [.05 in] Centerline, Printed Circuit Board, Power, Microminiature & Nanominiature D Connectors



Circuit Application	Power	
---------------------	-------	--

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)  Candidate List Declared Against: JUNE 2023 (235)  SVHC > Threshold:  Pb (40% in COMPONENT)  Article Safe Usage Statements:  Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



# Customers Also Bought















369 9 WAY PANEL MNT REC, 90 PCB

GOLD,PIN







#### **Documents**

**Product Drawings** 

STL025M6KN = THRU-HOLE

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_7-1589487-6\_T.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_7-1589487-6\_T.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_7-1589487-6\_T.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

## STL025M6KN

Receptacle, Wire-to-Board, 25 Position, 1.27 mm [.05 in] Centerline, Printed Circuit Board, Power, Microminiature & Nanominiature D Connectors



1589487 Nanonics Cross Reference

English