




Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Wire**
Number of Positions: **21**
Connector & Housing Type: **Housing for Male Terminals**
Centerline (Pitch): **5 mm [.197 in]**
Sealable: **No**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	21
Number of Rows	3

Electrical Characteristics

Nominal Voltage Architecture	24 V
------------------------------	------

Body Features

Primary Product Color	Blue
-----------------------	------



Connector & Keying Code	D
Contact Features	
Contact Size	2.8mm
Contact Type	Tab
Mating Tab Width	2.8 mm[.11 in]
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Row-to-Row Spacing	5.5 mm
Usage Conditions	
Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94HB
Other	
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241)



Does not contain REACH SVHC

Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part # 2379921-4
21POS,AMP MCP 2.8,REC HSG ASSY, UNSLD

Also in the Series | 1.5/2.8 Connector System



Automotive Connector Caps & Covers (4)



Automotive Housings(27)



Automotive Terminals(50)



Insertion & Extraction Tools(1)




Other Automotive Connector
Accessories(1)



PCB Headers & Receptacles(1)

Customers Also Bought



TE Part #174658-7
10 POS DL PLATE FOR CAP MKII+



TE Part #1823735-1
COVER,90DEG




TE Part #2-2311123-1
REC CONN CVR,48POS,MCON 1.2,45
DEG




TE Part #9-1452995-9
76POS,MCON 1.2 CB,REC HSG,ASSY,
SLD



TE Part #2-2295763-1
MICRORELAY HOLDER ASSEMBLY



TE Part #2-2311124-1
LEVER,48POS,MCON 1.2



TE Part #2311056-2
48POS,MCON 1.2,REC HSG,SLD



TE Part #2311056-4
48POS,MCON 1.2,REC HSG,SLD



TE Part #2311283-3
36POS,MCON 1.2,REC HSG ASSY,SLD



TE Part #2311283-4
36POS,MCON 1.2,REC HSG ASSY,SLD

Documents

Product Drawings

21POS,AMP MCP 2.8,TAB HSG,UNSLD,COD D

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2379922-4_A.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2379922-4_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2379922-4_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Unsealed Interconnection System I&C Tran](#)

English

Product Specifications

[Application Specification](#)

English