






注記 NOTES

1. 製品詳細寸法については製品単体図面を参照下さい。
FOR DETAILED DIMENSION, SEE PRODUCT DRAWING.
2. 梱包数量 : 1000個/リール(14CKT), 1500個/リール(20,30,32,40CKT)
THE NUMBER OF PACKAGED CONNECTORS : 1000 PCS/REEL(14CKT)
: 1500 PCS/REEL(20,30,32,40CKT)

3. リードテープ長さ
LEAD TAPE LENGTH






4. 材料
MATERIAL
キャリアテープ : ポリプロピレン(PP)
CARRIER TAPE : POLYPROPYLENE (PP)
トップテープ : PET, PE, PEF
TOP TAPE : PET, PE, PEF
リール : ポリスチレン(PS) <リサイクル材含む>
REEL : POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED >

5. ELV及びRoHS適合品
ELV AND RoHS COMPLIANT.






6. トップテープの剥離強度については IEC60286-3 に準拠。
TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex							
	mm		NTS												
	GENERAL TOLERANCES (UNLESS SPECIFIED)				0.8 MM PITCH B-TO-B CONN. RECEPTACLE (WITHOUT BOSS) EMBOSS TAPE PACKAGE										
	ANGULAR TOL ± °														
	4 PLACES ±		EC NO: 751506		DOCUMENT NUMBER 524650000			DOC TYPE PSD		DOC PART 001		REVISION D			
	3 PLACES ±		DRWN: RSATO 2023/04/19												
	2 PLACES ±		CHK'D: SMARUYAMA 2023/06/27												
	1 PLACE ±		APPR: YNAITO 2023/06/27		PRODUCT CUSTOMER DRAWING										
	0 PLACES ±		INITIAL REVISION:												
DIVISIONAL SYMBOLS		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		52465				GENERAL		1 OF 3			




16mm幅キャリアテープ
16mm WIDTH CARRIER TAPE

16		330	21.4	17.4	7.5	52465-1462			14				
キャリアテープ幅 CARRIER TAPE WIDTH		D	C	B	A	EMBOSSED TAPE PACKAGE			極数				
						ORDER NO			CIRCUITS				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
FUNCTIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex					
	mm		NTS										
F/A = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± °		EC NO: 751506 DRWN: RSATO CHK'D: SMARUYAMA APPR: YNAITO 2023/04/19 2023/06/27 2023/06/27			0.8 MM PITCH B-TO-B CONN. RECEPTACLE (WITHOUT BOSS) EMBOSS TAPE PACKAGE					
4 PLACES											±		
3 PLACES											±		
DIVISIONAL SYMBOLS	2 PLACES		±								PRODUCT CUSTOMER DRAWING		
	1 PLACE		±										
	0 PLACES		±										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				A3-SIZE	52465	524650000		GENERAL		2 OF 3			



32	380	37.4	33.4	17.9	52465-4062	40
24	380	29.4	25.4	14.7	52465-3262	32
				13.9	52465-3062	30
				9.9	52465-2062	20
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	B	A	EMBOSSED TAPE PACKAGE	極数
					ORDER NO	CIRCUITS

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex 0.8 MM PITCH B-TO-B CONN. RECEPTACLE (WITHOUT BOSS) EMBOSS TAPE PACKAGE								
	mm		NTS													
	FA = 0															
	FE = 0				PRODUCT CUSTOMER DRAWING											
	FP = 0															
	ANGULAR TOL ± °															
	4 PLACES ±				DOCUMENT NUMBER			DOC TYPE			DOC PART			REVISION		
	3 PLACES ±															
	2 PLACES ±				524650000			PSD			001			D		
1 PLACE ±																
0 PLACES ±				INITIAL REVISION:			MATERIAL NUMBER			CUSTOMER			SHEET NUMBER			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																
				THIRD ANGLE PROJECTION			DRAWING			SERIES						
							A3-SIZE			52465						



0.4	17.6	16.85	15.2	52465-4062	40
0.4	14.4	13.65	12.0	52465-3262	32
0.8	13.6	12.85	11.2	52465-3062	30
0.4	9.6	8.85	7.2	52465-2062	20
0.8	7.2	6.45	4.8	52465-1462	14
D	C	B	A	EMBOSSED TAPE	CKT 極数
				ORDER NO. オーダー番号	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
FUNCTIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex				
	mm		NTS									
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 751506 DRWN: RSATO2023/04/19 CHK'D: SMARUYAMA2023/06/27 APPR: YNAITO2023/06/27						
= 0	ANGULAR TOL ± 3.0 °											
= 0	4 PLACES ± 0.2											
DIVISIONAL SYMBOLS	3 PLACES ± 0.2											
	2 PLACES ± 0.2											
	1 PLACE ± 0.2											
0 PLACES ± 0.2				INITIAL REVISION:			DOCUMENT NUMBER 524651000					
DRWN: RMIYAMOTO2018/07/31				DOC TYPE PSD								
APPR: TKUSUHARA012018/08/02				DOC PART 001			REVISION C					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION						SHEET NUMBER 1 OF 2		
							DRAWING A3-SIZE			SERIES 52465		
							MATERIAL NUMBER			CUSTOMER GENERAL		

DOCUMENT STATUS	P1	RELEASE DATE	2023/06/27	06:58:37
-----------------	----	--------------	------------	----------

