# ADFA558NN00000151000 ACTIVE



TE Internal #: ADA558N00000151000

Cable-to-Panel, Signal, Panel Mount, Electrodeposited Nickel, Zinc

Alloy, PBT, Size 23, Shielded, 0° Alignment Keyed, Standard

Circular Connectors

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Cable-to-Panel

Connector Mounting Type: Panel Mount

Sealable: No

Circuit Application: Signal

Shell Plating Material: Electrodeposited Nickel

### **Features**

# Product Type Features

Product Type	Connector Assembly
Connector System	Cable-to-Panel
Sealable	No
Shell Type	Metal

#### **Electrical Characteristics**

Operating Voltage	63 VAC
-------------------	--------

## **Body Features**

Environmental Protection	IP67
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	PBT

#### Mechanical Attachment

Mating Retention Type	Screw
Panel Mount Feature Type	Flange with Mounting Holes



Connector Mounting Type	Panel Mount
Housing Features	
Circular Connector Shell Size	23
Alignment Keyed	0°
Usage Conditions	
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]
Operation/Application	
Durability Rating	500 Cycles
Circuit Application	Signal
Shielded	Yes
Industry Standards	
UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (3.5% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

Cable-to-Panel, Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT, Size 23, Shielded, 0° Alignment Keyed, Standard Circular Connectors



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# Compatible Parts





POSITIONING INSERT FOR 1.5 MM

CONTACTS

TE Part # C0-0235-000-P00 DIGITAL CRIMPING TOOL, SMALL

TE Part # C0-0101-000-P00 CRIMPING TOOL SMALL WITH POSITIONER




# Customers Also Bought










M12 X-M-8,90,CRIMP,CAT7,H&S 84124806

TE Part #61-0171-080-026

BANDOLEER CONTACT PIN 1MM,







# **CAD Files** 3D PDF

**Documents** 

400 PCS ROL

3D

Cable-to-Panel, Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT, Size 23, Shielded, 0° Alignment Keyed, Standard Circular Connectors



**Customer View Model** 

ENG\_CVM\_CVM\_ADA558N00000151000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_ADA558N00000151000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_ADA558N00000151000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## Datasheets & Catalog Pages

ADA558N00000151000

English

fuer Datenblaetter, die online konfigurierbar sind

German

**Product Specifications** 

German