

## Cable connector - RC-16S2N12K063 - 1601165

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Cable connector, straight plastic-sheathed, shielded: yes, Screw locking, M23, cable diameter range: 5.5 mm ... 6.5 mm

The figure shows the 12-pos.  
product version

RoHS

### Key Commercial Data

Packing unit	20 pc
GTIN	 4 046356 233408
GTIN	4046356233408

### Technical data

#### Housing data

Note	Order information: Order contact inserts and cable clamping/shield accessories separately
Housing material	Metal
Type of locking	Screw locking
Degree of protection (when plugged in)	IP67
Thread type	M23

#### Cable seal data

Cable diameter	5.5 mm ... 6.5 mm
Litz wire bundle diameter	5.2 mm


### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### Drawings

## Cable connector - RC-16S2N12K063 - 1601165

Dimensional drawing



### Approvals

#### Approvals

Approvals

EAC

Ex Approvals

#### Approval details

EAC



B.01742

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

1601165