



a) Part as supplied.

KTKK 5000-5002



b) Part after unrestricted recovery.



Raychem connector code:- 64
Connector series:- VEAM CIR06BRT
Adaptor Series:- 215M7**19-B**K-NS
Moulded Part Material:- -100

Assembly will be Part Marked with Part Number.
Kits to include cleaning tissue, 1 piece 100 grit emery cloth.
Assembly to be installed per Raychem instruction sheet AER#90611.


Dimensions in millimetres (inches). a) Part as supplied. b) Part after unrestricted recovery.

Part No.	SHELL SIZE	B	D	J		P	J0	JW	CABLE RANGE	
		DIA	DIA	MIN	MAX	±10%	REF	±30%	MIN	MAX
		MAX	MIN	a	b	b	b	b		
KTKK 5000	10SL	23.3 (0.92)	8.4 (0.33)	15 (0.59)	5.9 (0.23)	73 (2.85)	12 (0.45)	1.0 (0.04)	6.2 (0.24)	8 (0.30)
KTKK 5001	14S	26.6 (1.05)	10.9 (0.43)	19 (0.75)	7.1 (0.28)	85 (3.33)	17 (0.67)	1.0 (0.04)	7.5 (0.29)	10 (0.40)
KTKK 5002	16S	31.2 (1.23)	12.9 (0.51)	24 (0.94)	8.4 (0.33)	98 (3.84)	20 (0.77)	1.0 (0.04)	8.8 (0.35)	12 (0.48)

Copyright (!)

The copyright in this drawing is the property of Raychem Ltd. The drawing is issued on condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Raychem Ltd.

Drawn A.LILLEY Checked Issue 2 Date June 1999 Conforms to ISO Recommendations
Approval Design MKTG. Q.A. 3rd Angle Projection
Not to Scale



Iss.	Date	E.C.R. No.	Details of Change

Material

(-100) zerohal - low fire hazard

Notes

1. Zerohal is a trademark of Tyco electronics

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[KTKK-5012](#) [KTKK-5000](#) [KTKK-5011](#)