TE Internal #: 61386-1

Closed Ring Tongue Terminal, 20 – 16 AWG, #4 / M2.5 Stud Size,

3.02 mm [.119 in] Stud Diameter, Open Barrel, Straight, Tin,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1021 – 2582 CMA

Stud Size: **#4, M2.5** 

## **Features**

## **Product Type Features**

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#4, M2.5
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Mechanical Attachment	

With

Wire Insulation Support



#### **Dimensions**

	.1 in
Wire Size	1021 – 2582 CMA
Stud Diameter	3.02 mm[.119 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	11.68 mm[.46 in]
Barrel Inside Diameter	2.03 mm, 2.92 mm[.08 in][.115 in]
Compatible Insulation Diameter (Max)	3.43 mm[.135 in]
Compatible Insulation Diameter Range	2.54 – 3.43 mm[.1 – .135 in]

# **Usage Conditions**

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]

# Operation/Application

# **Industry Standards**

## **Packaging Features**

Packaging Quantity	25000
Packaging Method	Strip/Reel

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# Compatible Parts



TE Part # 2150356-1 OCEAN\_2.0\_Applicator-E-120F180O-



TE Part # 2150356-2 OCEAN\_2.0\_Applicator-E-120F180O-**REA** 



120F180O

# Customers Also Bought



TE Part #350732-4 06P UMNL PIN HDR ASSY 94VO LF



TE Part #1803095-6 FLOATING SHEAR, FRONT







TE Part #350834-4 06P UMNL HDR ASSY PC 94VO LF















### **Documents**

## **Product Drawings**

RING CRIMP 20-16 AWG TPBR

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_61386-1\_F.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_61386-1\_F.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_61386-1\_F.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Engineering Report** 

English