1-2314097-1 V ACTIVE

M12 Rail PG Clamp

TE Internal #: 1-2314097-1


0 Position, Wire & Cable, Unplated, A Polarization Code, 0 Power Positions, 0 Signal Positions, M12 Rail PG Clamp, Standard Circular

Connectors

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > M12 Crimp Contact for A8 Code



Number of Positions: 0

Connector & Contact Terminates To: Wire & Cable

Shell Plating Material: Unplated

Polarization Code: A

Number of Power Positions: 0

All M12 Crimp Contact for A8 Code (4)

Features

Product Type Features

Product Type	Connector Assembly
Accessory Color	Black
Assembly Requirement	Factory Assembled
Assembly Type	Electrical Connector
Connector Product Type	Connector Assembly
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Plug
Configuration Features	
Number of Positions	0
Number of Power Positions	0
Number of Signal Positions	0

Electrical Characteristics



Operating Voltage	30 VDC
Signal Characteristics	
Data Rate	1 Gb/s
Body Features	
Shell Plating Material	Unplated
Contact Features	
Circular Connector Contact Type	Pin
Mechanical Attachment	
Polarization Code	A
Dimensions	
Wire Size	.34 – .08 mm²
Usage Conditions	
IP Water Sealing Level	IP67
IP Dust Sealing Level	6
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Durability Rating	250 Cycles
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1
Other	
Field Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)



Candidate List Declared Against: JAN 2024 (240)

SVHC > Threshold:

Pb (3.5% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts







Also in the Series | M12 Rail PG Clamp



Customers Also Bought





















Documents

Product Drawings

M12 CRIMP CONTACT PIN 0.8MM AWG22/AWG24

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2314097-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2314097-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2314097-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

0 Position, Wire & Cable, Unplated, A Polarization Code, 0 Power Positions, 0 Signal Positions, M12 Rail PG Clamp, Standard Circular Connectors



Rail D-Sub Backshells Flyer

English