# RVT-AL/ST 3/12 - Blind rivet



https://www.phoenixcontact.com/us/products/3240507



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Blind rivets, Ø 3.0 mm, 12 mm sleeve length, aluminum sleeve, zinc-plated steel pin, flat head, standard version similar to DIN 7337 A, also for UW/RW/PW 10 and 16

## Your advantages

- · Compact, ergonomically shaped pliers
- Special rivets are available for fixing RW... and UW... high-current panel feed-through terminal blocks that are specifically designed for terminal blocks
- 3 inserts for rivet diameter of 2.4 mm ... 3.2 mm, 4 mm, and 4.8 mm ... 5.0 mm

#### Commercial data

Item number	3240507
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BH34
Product key	BH34A1
Catalog page	Page 400 (C-3-2017)
GTIN	4046356527378
Weight per piece (including packing)	1.131 g
Weight per piece (excluding packing)	1.131 g
Customs tariff number	83082000
Country of origin	CN

# RVT-AL/ST 3/12 - Blind rivet



https://www.phoenixcontact.com/us/products/3240507



## Technical data

### Product properties

Product type	Filler plug
Head form	Flat head

#### **Dimensions**

Diameter	3 mm
Hole diameter	3.1 mm
Min. material thickness	7 mm
Max. material thickness	9 mm

## Material specifications

Color	silver
Material	Aluminum (AIMg 3/3.5)/galvanized steel
Surface characteristics	galvanized

# RVT-AL/ST 3/12 - Blind rivet



https://www.phoenixcontact.com/us/products/3240507



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com