

B302 10X7 BLK/YEL BILING/CAUTION SAFE

B302 10X7 BLK/YEL BILING/CAUTION SAFE

No
Image
Available

No
Image
Available



Product Highlights

Sign Size (H x W):

10" x 7"

Material:


Polyester

Part Number:

125447

ADD TO CART

1





Add To Favorites

You May Also Like



Overview

B-302 is an indoor/outdoor high performance pressure sensitive safety sign, and is surface printed polyester with a polyester overlamine.

- Weathers up to 8 years outdoors, even longer indoors, and withstands wide temperature variations (up to 230°F)
- Flexible material conforms to most surfaces while protected graphics hold up to harsh environments, abrasion, and repeated spills and cleanings
- Permanent, pressure sensitive adhesive forms a long-lasting bond to even the most difficult surfaces and shapes
- Cold temperature adhesive allows the signage to be applied at 0°F (-18°C)

Specifications

Material Number	B-302
-----------------	-------

Country of Origin	US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney.
Catalog Page #	55
Dimensions	10 in H x 7 in W x 0.006 in D
UOM	Sign
Illumination	Not Illuminated
Indoor or Outdoor Use	Outdoor Use
Laminated	Laminated
Maximum Service Temperature °F	230 °F
Minimum Service Temperature °F	-40 °F
PSPA Photoluminescence Class	Not Illuminated
Product Number	125447
UPC	754473730963
Reverse Legend	No Reverse Text
Sign Size (H x W)	10" x 7"
Thickness	0.01 in
UNSPSC	55121704
Write-On	No
Write-On Area?	No
Adhesive Type	Acrylic
Color	Black on Yellow
Header	CAUTION/PRECAUCION
Language	English, Spanish
Material	Polyester
Meets Industry Standards - Signs	ANSI Z53.1-1967
Mounting Type	Self-Adhesive
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant
Reverse Header	No Reverse Header
Shape	Rectangle
Text Legend	SAFETY SHOES REQUIRED IN THIS AREA/USO OBLIGATORIO DE CALZADO DE SEGURIDAD

Solutions

Floor Marking Guide
GHS Label Compliance
Lockout Tagout Compliance
Arc Flash Labeling Requirements
Cable and Wire Label Options
Product and Barcode Labeling

Services

Lockout Tagout Services
Arc Flash Services
Confined Space Services
Software Programming & Integration
Label Template & File Conversion
Printer Use & Training
Printer Preventative Maintenance
Toll and Custom Coating
Authentication & Tracking Services

Help

Contact Us
Website Feedback
Knowledge Center
Printer Drivers & Firmware
Brady Software Updates
Safety Data Sheets
Technical Data Sheets
WEEE-RoHS Compliance
Product Certification
Printer Registration

Resources

Find a Distributor
Design Custom Safety Signs
Create Custom THT Labels
Printer Selection Tool
Label Selection Tool
Digital Catalog
Request a Catalog
Interactive Facility Map
EPA e-Manifest Update

Corporate Other BradyContact Sites

[About](#)

[Careers](#)

[Investors](#)

[Privacy](#)

[Policy](#)

[Terms and](#)

[Conditions](#)

[Terms of](#)

[Use](#)

[ISO](#)

[Certificates Solutions](#)

[Distributor](#)

[Portal](#)

[International](#)

[Sites](#)

[Safety](#)

[Services &](#)

[Software](#)

[Brand](#)

[Protection](#)

[Solutions](#)

6555 W.

Good Hope Rd.

Milwaukee,

WI 53223

Phone: 888-

250-3082

Hours: 7am-

6pm CT


Monday -

Thursday;

Friday 7am-

5pm CT

Brady (NYSE:BRC) is a manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.



2019 © Brady Worldwide, Inc.