# 1587977-2 ACTIVE

#### HVA 280

TE Internal #: 1587977-2

Housing for Female Terminals, Wire-to-Wire, 4 Position, 5.2 mm [. 204 in] Centerline, Black, Signal, Cable Mount (Free-Hanging), HVA

280

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Wire

Number of Positions: 4

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 5.2 mm [ .204 in ]

Mating Alignment Type

Mating Alignment

Sealable: No

### **Features**

Product Type Features	
Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	4
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black
Contact Features	
Contact Size	2.8mm
Mechanical Attachment	
Terminal Position Assurance	No
Strain Relief	Without

Polarization Slot

With



Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	5.2 mm[.204 in]
Dimensions	
Connector Height	11.6 mm[.456 in]
Product Width	30.7 mm[1.2 in]
Product Length	21.4 mm[.842 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
Other	
Serviceable	No
Connector Position Assurance Capable	No

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



TE Part # 4-2103015-5
PLUG SUBASSY, E, HVA280-2PHM F



TE Part # 4-2103015-2 PLUG SUBASSY, B, HVA280-2PHM F



TE Part # 4-2103015-4 PLUG SUBASSY, D, HVA280-2PHM F



TE Part # 4-2103015-1
PLUG SUBASSY, A, HVA280-2PHM F



TE Part # 2310472-2
INNER HSG, PLUG, HVA280-2PHM,
PT, V0



PLUG SUBASSY, F, HVA280-2PHM F

# Also in the Series | HVA 280



Automotive Connector Caps & Covers (5)



Automotive Connector EMC Shielding (15)



Automotive Housings(71)



Connector Seals & Cavity Plugs(8)




Electric, Hybrid & Fuel Cell Cable Assemblies(21)



High Voltage Wire Processing Equipment(7)



Other Automotive Connector Accessories(38)



PCB Headers & Receptacles(32)



# Customers Also Bought





















### **Documents**

### **Product Drawings**

INNER HOUSING, PLUG, HVA280-2PHM, PASS T

English

INNER HOUSING, PLUG, HVA280-2PHM, PASS T

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1587977-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1587977-2\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1587977-2\_A.3d\_stp.zip

Housing for Female Terminals, Wire-to-Wire, 4 Position, 5.2 mm [.204 in] Centerline, Black, Signal, Cable Mount (Free-Hanging), HVA 280



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English