




A

- | | | | | | | | |
|---|--|---|--|---|--------------------|-------------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN
D. RYAN
1 SEP 99 | |  TE Connectivity | | | |
| | | CHK
E. PAULUS
1 OCT 99 | | | | | |
| DIMENSIONS:
INCHES | | TOLERANCES UNLESS
OTHERWISE SPECIFIED: | | NAME

RECEPTACLE ASSEMBLY,
HORIZONTAL SMT, 1-9 COAX ONLY,
50 OHM, METAL | | | |
|  | | APVD
— | | | | | |
| | | PRODUCT SPEC
— | | | | | |
| | | APPLICATION SPEC
— | | | | | |
| MATERIAL

SEE NOTES | | FINISH

SEE NOTES | | SIZE
A2 | CAGE CODE
00779 | DRAWING NO
C-1589072 | RESTRICTED TO
— |
| | | WEIGHT
— | | SCALE
6:1 | | SHEET
1 of 2 | REV
H2 |
| CUSTOMER DRAWING | | | | | | | |



- 7. POSITIONAL TOLERANCES FOR BASIC DIMENSIONED FEATURES ARE RELATIVE TO FIDUCIALS OR SOME SIMILAR DATUM REFERENCES DEFINED BY PCB DESIGNER.
- 8. SOLDER PADS.
- 9. TWO SOLDER PADS ARE REQUIRED FOR EACH COAX CONTACT.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
D. RYAN
1 SEP 99

CHK
E. PAULUS
1 OCT 99

APVD
—

PRODUCT SPEC
—

APPLICATION SPEC
—

WEIGHT
—

CUSTOMER DRAWING

TE Connectivity

RECEPTACLE ASSEMBLY,
HORIZONTAL SMT, 1–9 COAX ONLY,
50 OHM, METAL

SIZE
A2

CAGE CODE
00779

DRAWING NO
C=1589072

RESTRICTED TO
—

SCALE
6:1

SHEET
2 OF 2

REV
H2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[CX060L2AQ](#)