# 1SNK900624R0000 V ACTIVE

### ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK900624R0000

Safety Cover, Used With Screw Clamp Terminal Blocks, -55 - 110  $^{\circ}$ C

[-67 – 230 °F], ENTRELEC SNK, Terminal Block & Strip Insulating

Accessories

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories











Insulating Accessory Type: Safety Cover

Compatible With Block or Strip Type: Screw Clamp Terminal Blocks

Operating Temperature Range: -55 - 110 °C [ -67 - 230 °F ]

## **Features**

## **Product Type Features**

Primary Product Material Polyamide Primary Product Color Dark Gray  Product Weight 47.8 g[1.686 oz]  Dimensions  Product Depth 64.5 mm[2.974 in] Product Height 74.4 mm[2.929 in]  Usage Conditions  Installation Temperature Range -5 - 40 °C[23 - 104 °F] Operating Temperature Range -55 - 110 °C[-67 - 230 °F]  Operation/Application  Compatible With Block or Strip Type Screw Clamp Terminal Blocks	Insulating Accessory Type	Safety Cover
Primary Product Color  Product Weight  47.8 g[1.686 oz]  Dimensions  Product Depth  64.5 mm[2.974 in]  Product Height  74.4 mm[2.929 in]  Usage Conditions  Installation Temperature Range  -5 - 40 °C[23 - 104 °F]  Operating Temperature Range  -55 - 110 °C[-67 - 230 °F]  Operation/Application  Compatible With Block or Strip Type  Screw Clamp Terminal Blocks	Body Features	
Product Weight 47.8 g[1.686 oz]  Dimensions  Product Depth 64.5 mm[2.974 in]  Product Height 74.4 mm[2.929 in]  Usage Conditions  Installation Temperature Range -5 - 40 °C[23 - 104 °F]  Operating Temperature Range -55 - 110 °C[-67 - 230 °F]  Operation/Application  Compatible With Block or Strip Type Screw Clamp Terminal Blocks	Primary Product Material	Polyamide
Dimensions  Product Depth 64.5 mm[2.974 in]  Product Height 74.4 mm[2.929 in]  Usage Conditions  Installation Temperature Range -5 - 40 °C[23 - 104 °F]  Operating Temperature Range -55 - 110 °C[-67 - 230 °F]  Operation/Application  Compatible With Block or Strip Type Screw Clamp Terminal Blocks	Primary Product Color	Dark Gray
Product Depth 64.5 mm[2.974 in]  Product Height 74.4 mm[2.929 in]  Usage Conditions  Installation Temperature Range -5 - 40 °C[23 - 104 °F]  Operating Temperature Range -55 - 110 °C[-67 - 230 °F]  Operation/Application  Compatible With Block or Strip Type Screw Clamp Terminal Blocks	Product Weight	47.8 g[1.686 oz]
Product Height 74.4 mm[2.929 in]  Usage Conditions  Installation Temperature Range -5 - 40 °C[23 - 104 °F]  Operating Temperature Range -55 - 110 °C[-67 - 230 °F]  Operation/Application  Compatible With Block or Strip Type Screw Clamp Terminal Blocks	Dimensions	
Usage Conditions  Installation Temperature Range  -5 - 40 °C[23 - 104 °F]  Operating Temperature Range  -55 - 110 °C[-67 - 230 °F]  Operation/Application  Compatible With Block or Strip Type  Screw Clamp Terminal Blocks	Product Depth	64.5 mm[2.974 in]
Installation Temperature Range -5 – 40 °C[23 – 104 °F]  Operating Temperature Range -55 – 110 °C[-67 – 230 °F]  Operation/Application  Compatible With Block or Strip Type Screw Clamp Terminal Blocks	Product Height	74.4 mm[2.929 in]
Operating Temperature Range -55 – 110 °C[-67 – 230 °F]  Operation/Application  Compatible With Block or Strip Type Screw Clamp Terminal Blocks	Usage Conditions	
Operation/Application  Compatible With Block or Strip Type  Screw Clamp Terminal Blocks	Installation Temperature Range	-5 - 40 °C[23 - 104 °F]
Compatible With Block or Strip Type  Screw Clamp Terminal Blocks	Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
	Operation/Application	
	Compatible With Block or Strip Type	Screw Clamp Terminal Blocks
Industry Standards	Industry Standards	

IP20

IP Rating



UL Flammability Rating UL 94V-0

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**













TE Part # 1SNK505061R0000 ZS4-GN



TE Part # 1SNK505062R0000 ZS4-RD



TE Part # 1SNK505063R0000 ZS4-PR



TE Part # 1SNK505065R0000 ZS4-WH



TE Part # 1SNK505066R0000 ZS4-BK



TE Part # 1SNK505150R0000 ZS4-PE



TE Part # 1SNK505310R0000 ZS4-S



TE Part # 1SNK505311R0000 ZS4-S-T2



TE Part # 1SNK505313R0000 ZS4-SP



TE Part # 1SNK506010R0000 ZS6



TE Part # 1SNK506150R0000 ZS6-PE



TE Part # 1SNK506315R0000 ZS6-S



TE Part # 1SNK508010R0000 ZS10



TE Part # 1SNK508150R0000 ZS10-PE



TE Part # 1SNK508151R0000 ZS10-PE-R1



TE Part # 1SNK508310R0000 ZS10-ST

## Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(320)



Terminal Block & Strip Conducting Accessories(67)



Terminal Block & Strip Insulating Accessories(31)

# Customers Also Bought





TE Part #1SNK900107R0000 CS-R3



TE Part #1SNA206682R0300 AJS9-GR



TE Part #1SNK505211R0000 ZS4-D1



TE Part #1SNK505215R0000 ZS4-D-CH-DU



TE Part #1SNK522150R0000 ZS70-PE



TE Part #1SNK705214R0000 ZK2.5-D-CH-DU



TE Part #1SNK908303R0000 JB8-3





TE Part #1SNA179726R0200 AJS9



### **Documents**

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK900624R0000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK900624R0000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK900624R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**ENTRELEC Terminal Block - Master Catalog** 

**ENTRELEC Terminal Block - Master Catalog** 

English

## 1SNK900624R0000

Safety Cover, Used With Screw Clamp Terminal Blocks, -55 – 110 °C [-67 – 230 °F], ENTRELEC SNK, Terminal Block & Strip Insulating Accessories



KCO

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)