





#### Solutions ∨



**About** ∨

Search

Home > Products > Managed NAND > MTEDFAE004SCA 1P2

g⁺ in ¥ f

## MTEDFAE004SCA-1P2



ROHS CERTIFICATES **SPECS** 

**PARTS** SHEET

DATA SHEETS

ROHS CERTIFICATES **SPECS** 

SAME **SHEET** 

**PARTS** 

**Data Sheet** 

#### **Embedded USB Mass Storage Drive (eU500)**

eUSB, MTEDFAE0xxSCA, MTEDFAR0xxSCA, MTEDFBE0xxSCA, MTEDFBR0xxSCA

File Type: PDF **Updated:** 03/2017

Embedded **Embedded USB** Managed NAND SLC NAND

DOWNLOAD

# Specs

Orderable Parts for: MTEDFAE004SCA-1P2

**SEE ALL EMBEDDED USB PARTS** 

	Status	Media	FBGA Code	SPD Data	Chipset Validation	PLP	Start Date	Alternative Part
MTEDFAE004SCA-1P2	Sampling	N/A	N/A	N/A	N/A	No		N/A

### **Detailed Specifications**

Density	4GB	Part Status	Sampling	Package	eUSB	Package Features	Standard Profile
Voltage	5V	Op Temp	0C to +70C	Interface	USB 3.1	RoHS	Yes

## **RoHS** Certificates

#### **RoHS Certificates**

#### **RoHS Certificate of Compliance (PDF)**

Part-specific certification of how this product meets the requirements of the current DIRECTIVE 2002/95/EC, a.k.a. Restriction of Hazardous Substances (RoHS) Directive.

File Type: (PDF)

**Updated:** 08/2017

DOWNLOAD

#### **RoHS Certificates**

#### **China RoHS Certificate (PDF)**

Part-specific certification as required by China's Management Methods for Controlling Pollution by Electronic Information Products.

File Type: (PDF)

**Updated:** 08/2017

DOWNLOAD

# Get Updates From Micron Storage



**SUBSCRIBE** 

## Parts with the same Data Sheet (8)

MTEDFAE004SCA-1P2 ( Current )		MTEDFAE004SCA-1P2IT	MTEDFAE008SCA-1P2	MTEDFAE008SCA-1P2IT	
	Sampling	Contact Factory	Sampling	Sampling	
Density	4GB	4GB	8GB	8GB	
Package	eUSB	eUSB	eUSB	eUSB	
Package Features	Standard Profile	Standard Profile	Standard Profile	Standard Profile	
Voltage	5V	5V	5V	5V	
Op Temp	0C to +70C	-40C to +85C	0C to +70C	-40C to +85C	
Interface	USB 3.1	USB 3.1	USB 3.1	USB 3.1	
RoHS	Yes	Yes	Yes	Yes	
MTED	FAE004SCA-1P2				

Downloaded from Arrow.com.

(Current)

# Part Status Sampling Where to Buy Density 4GB Package eUSB

ling

N/A

Media	FBGA Code	SPD Data	Chipset Validation	PLP	Start Date	Alternative Part

RoHS **Yes** 

Contact Iour Juics Nep

**Standard Profile** 

**5V** 

0C to +70C

**USB 3.1** 

- OR - Check with Distributors

N/A

No

N/A

CONTACT A REP


Package

Features

Voltage

Op Temp

Interface



**See All Distributors** 

#### **Products**

DRAM
DRAM Modules
NAND Flash
Managed NAND
NOR Flash
Hybrid Memory Cube
Multichip Packages
Memory Cards
Solid State Drives

#### Solutions

By Industry
Automotive Memory Solutions
Consumer/Connected Home
Embedded Memory Solutions
Federal Solutions
Mobile Memory Solutions
Networking Innovations

By Application
Client SSD Storage
Hyperscale/Private Cloud
Data Center
Storage Data Security
Enterprise SSD Storage
Supercomputing Memory

N/A

#### **Support**

Contact Us
Support Documentation and
Downloads
Sales Support
Sales Network
Authorized Sales
Authorized Distributors
Site Map
Surplus Equipment
Terms of Use
Terms and Conditions of Sale

#### **About**

Our Company
News and Events
Micron Blogs
Jobs
Micron Foundation
History of Innovation
Locations
Our Commitment
Investor Relations
Suppliers

N/A







©2017 Micron Technology, Inc. All rights reserved. Information, products, and/or specifications are subject to change without notice. All information is provided on an "AS IS" basis without warranties of any kind. Drawings may not be to scale. Micron, the Micron logo, and all other Micron trademarks are the property of Micron Technology, Inc. All other trademarks are the property of their respective owners.