

Part Number: 1300390499

Product Description: Micro-Change (M12) to Mini-Change Double-Ended Cordset, 5 Poles, Male (Straight) to Female (90°), DeviceNet Standard Cable Plus Drain, 4.0m (13.12')

Length

Series Number: 130039

**Product Category:** Circular Industrial

Cordsets

**Status:** Active

**Engineering Number: DND92A-M040** 

### **Documents & Resources**

### **Drawings**

Drawing 1300390499\_sd.pdf

## **Product Environment Compliance**

## Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

#### **Part Details**

#### General

Status	Active
Category	Circular Industrial Cordsets
Series	130039
Description	Micro-Change (M12) to Mini- Change Double-Ended Cordset, 5 Poles, Male (Straight) to Female (90°), DeviceNet Standard Cable Plus Drain, 4.0m (13.12') Length
IP Rating	IP67
Product Family	Brad Mini-Change Connectors
Product Name	Micro-Change (M12),Mini-Change
Region	Europe
Туре	Double Ended
UPC	78678810399

# Agency

CSA	LR6837

## Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	250V AC/DC

# Physical

Cable Diameter	6.86mm (.270")
Cable Length	4.0m (13.12')
Color - Cable Jacket	Gray
Connector End A	Micro-Change (M12)
Connector End B	Mini-Change
Coupling Style	Threaded
Gender	Female-Male
Keyway	Single
LED Indicator	No
Material - Cable Jacket	PVC
Material - Connector Body	PVC
Material - Contact	Copper Alloy
Material - Coupling Nut	Zinc Die-Cast

Material - Plating Mating	Gold
Orientation	90° to Straight
Poles	5
Temperature Range - Operating	-20° to +80°C
Wire/Cable Type	Shielded-Twisted Pair
Wire Size (AWG)	22

This document was generated on Sep 17, 2024