


CF 500/DIE SC 1,5 - Crimp insert



1212241

<https://www.phoenixcontact.com/us/products/1212241>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Die for CF 500 automatic crimping device, for slip-on sleeves and spade connectors (C-SCF... and C-SCM...) 0.1 mm² ... 1.5 mm²

Commercial data

Item number	1212241
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH32
Product key	BH323Z
Catalog page	Page 511 (C-3-2019)
GTIN	4046356449991
Weight per piece (including packing)	73.7 g
Weight per piece (excluding packing)	73.7 g
Customs tariff number	84799070
Country of origin	DE

CF 500/DIE SC 1,5 - Crimp insert

1212241

<https://www.phoenixcontact.com/us/products/1212241>



Technical data

Product properties

Product type	Die
Compression	B crimp
Min. cross section	0.14 mm ²
Max. cross section	1.5 mm ²

Connection data

Conductor connection

Cross section range, metric	0.1 mm ² ... 1.5 mm ²
-----------------------------	---

Material specifications

Color	Silver
Material	Steel

Cable/line

External cable diameter	0.5 mm ... 1.5 mm
-------------------------	-------------------

CF 500/DIE SC 1,5 - Crimp insert

1212241

<https://www.phoenixcontact.com/us/products/1212241>



Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1212241>



EAC

Approval ID: RU C-DE.AI30.B.01549

CF 500/DIE SC 1,5 - Crimp insert



1212241

<https://www.phoenixcontact.com/us/products/1212241>

Classifications

ECLASS

ECLASS-11.0	17130192
ECLASS-12.0	17130192
ECLASS-13.0	17130192

ETIM

ETIM 9.0	EC002778
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

CF 500/DIE SC 1,5 - Crimp insert



1212241

<https://www.phoenixcontact.com/us/products/1212241>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

CF 500/DIE SC 1,5 - Crimp insert

1212241

<https://www.phoenixcontact.com/us/products/1212241>




Mandatory accessories

CF 500/COV SC - Covering hood

1212251

<https://www.phoenixcontact.com/us/products/1212251>




Protective hood for CF 500 automatic crimping device, for slip-on sleeves and spade connectors (SC 1.5... and SC 6...) 0.1 mm² ... 6 mm²

CF 500/LOC SCF 2,8/1,5 - Crimp locator

1212249

<https://www.phoenixcontact.com/us/products/1212249>



Ferrule holder for CF 500 automatic crimping device, for slip-on sleeves (SCF 2,8...), 0.1 mm²-1.5 mm², width: 2.8 mm, length 5 mm

CF 500/DIE SC 1,5 - Crimp insert

1212241


<https://www.phoenixcontact.com/us/products/1212241>



CF 500/LOC SCF 4,8/2,5 - Crimp locator

1212248

<https://www.phoenixcontact.com/us/products/1212248>




Ferrule holder for CF 500 automatic crimping device, for slip-on sleeves (SCF 4,8...), 0.5 mm²-2.5 mm², width: 4.8 mm

Accessories

CF 500/LOC SCF 2,8/1,5 - Crimp locator

1212249

<https://www.phoenixcontact.com/us/products/1212249>



Ferrule holder for CF 500 automatic crimping device, for slip-on sleeves (SCF 2,8...), 0.1 mm²-1.5 mm², width: 2.8 mm, length 5 mm

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com