



Part Number : 2065230241

Series Number : 206523

Product Category : Connector Housings

Product Description : Mini50 Unsealed Receptacle, Dual Row, UL94-HB, without CPA, 24 Circuits, Polarization Option A, Black

Status : Active

Documents & Resources

Drawings

Drawing 2065230241_sd.pdf

Packaging Design Drawing PK-31301-538-001.pdf

Packaging Design Drawing PK-31301-538-001.pdf

3D Models and Design Files

3D Model 2065230241_stp.zip

Specifications


Application Specification 2065230000-AS-000.pdf

Application Specification 2065230000-AS-CH-000.pdf

Product Specification 2065230000-PS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	206523
Description	Mini50 Unsealed Receptacle, Dual Row, UL94-HB, without CPA, 24 Circuits, Polarization Option A, Black
Application	Automotive, Power, Wire-to-Board
Product Family	Mini50 Connection Systems
Product Name	Mini50
UPC	191128857086

Physical

Circuits (maximum)	24
Color - Resin	Black
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	PBT
Net Weight	2.274/g
Number of Rows	2
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm
Pitch - Termination Interface	2.00mm
Polarization	A
Polarized to Mating Part	Yes
Stackable	No

Temperature Range - Operating	-40° to +100°C
-------------------------------	----------------

Mates With / Use With

Mates with Part(s)

Description	Part Number
Mini50 Unsealed Header, Right-Angle, SMT, Dual Row, 24 Circuits, Tin (Sn) Plating, Polarization Option A, Black, Tape and Reel	<u>348978240</u>
Mini50 Unsealed Header, Right-Angle, SMT, Dual Row, 24 Circuits, Tin (Sn) Plating, Polarization Option A, Black, Tube	<u>348979240</u>
Mini50 Unsealed Vertical Header, Dual Row, 24 Circuit, Polarization Option A, Black, Tray	<u>348250240</u>
Mini50 Unsealed Vertical Header, Dual Row, 24 Circuit, Polarization Option A, Black, Tube	<u>348259240</u>
Mini50 Unsealed Right-Angle Header, Dual Row, 24 Circuit, Polarization Option A, 2.80mm Pin Length, Black, Tray	<u>348260240</u>
Mini50 Unsealed Right-Angle Header, Dual Row, 24 Circuit, Polarization Option A, 2.80mm Pin Length, Black, Tube	<u>348269240</u>

Use with Part(s)

Description	Part Number
CTX50 Unsealed Receptacle Terminals	<u>560023</u>